

for your big dream!



Fishing Tools Catalog

Showit!

Fisherman's Tool



MAKOTO ONO

Shout! Developer. Constantly on the move around the world and in the waters of Japan, striving to develop the tackle of choice trusted by jigging users the world over. He never misses a chance to be out in the water, testing all kinds of tackle until he's satisfied with the results. This man's tackle combine the originality and ease-of-use to put you face to face with the big one!

SHOUT! FIELD STAFF



MASAYUKI IZUMI

Shout! Field Monitor. This power jigger calls the waters of the Kansai region home, with frequent trips south to Okinawa as well. Armed with his double clutch jerk technique, he can make even the most docile targets come alive to take the bite. His speed, power, aim, luring and game method to bring in the bite are unsurpassed.



KATSUYICHI MATSUNO

Shout! Field Monitor. This technical jigger calls the waters of Kansai, Sotobô, Tôkyô Bay and Sagami Bay home; and spends over 100 days of the year fishing. He has honed his jerk method through experience in the water, and developed insightful knowledge of the changes in tide, color, water depth and bottom terrain.



YOSHIHISA HIRATA

Shout! Field Monitor. This expert light PE line jigger hails from Kansai, with particular emphasis on the waters of Wakayama. He has the sensitivity to custom tailor his action to the liking of the target, and bring in the bite, faster than anyone. His technique takes advantage of his deep understanding of his tackle, and manages to bring in big catches that most us wouldn't even attempt.

Pursuing the challenge with conviction.

In the stream of heady memories of the past,
There are scenes which seem just within reach, yet defy your grasp.

They defy your understanding.

Yet you're sure there's something there worth putting all of your soul into.

As on a voyage with a long road in front of you, you pursue the challenge,

Once again, you take a stand against the open sea, and you are affirmed.

The day will come.

The continuation of the trembling dream you've yet to experience.

The ecstasy will be yours.

2014: Shout! Fisherman's Tool.

As if obsessed.

For those who go beyond boundaries.



2014 FISHERMAN'S TOOLS
FOR SALT ANGLER

The Image is realized!



KENICHI KITABAYASHI

Shout! Field Monitor. You'll find this Sea of Japan jigger every weekend around the waters of the Tango Peninsula or the Maizuru coast. He has honed his senses in these waters to gain an understanding of seasonal changes in conditions, and to adapt his jerking pattern based on water clarity and target activity to ensure a quick bite.



KATSUYA MUKOBAYASHI

Shout! Developer. He targets on all jiggling game, both on-shore & off-shore, with emphasis on Japan's Kansai region. Flexible response in any situation to get fish's mouths moving. He uses the experience and insight gained on the local waters of Wakayama, especially in the field of shore jiggling, to never let a chance pass him by.

CONTENTS

Knot Tool	4	Bobbin Knotter III
		Light Bobbin Knotter III
	6	PE Scissors
	6	PE Scissors Medium
	7	How to Tie the PR Knot

Rod	9	SPJ Master
	9	SPJ Rider
	9	Seduce Cast Series
	11	Seduce Series
	13	Seduce Light Series
	13	Answer Shaft

Lure	16	Engra
	17	Entice

Jig	19	Flash
	20	Strobe
	21	Lighten
	22	Stay
	23	Width
	24	Slide Actor
	25	Cradle

Shore Game	26	Kimo Keeper
	26	Kimo Shaft
	26	Wind Assist
	27	Cast Spark
	27	Mame Jaco
	27	Light Game Assist
	28	Shiver
	29	Mame Dangan
	30	Dangan
	31	Sparrow Dangan
	31	Spare Eye

Assist & Hook	33	Jaco Hook
	33	Jaco Hook Glow
	34	Feather Jaco
	34	Rock Fish Assist
	35	Medal Assist Single
	35	Medal Assist Rear Hook
	36	Light System Assist
	37	Single Spark
	38	Gap Spark
	38	Twin Spark
	40	Hard Twin Spark
	41	Double Barb Assist
	41	Twin Assist
	42	Powerful Jaco
	42	Powerful Jaco Glow
	43	Powerful Assist
	44	Saber Assist
	44	Assist PE Line
	45	Ijika Metal Assist
	45	Combi Ring
	46	Press Ring
	46	Heavy Press Ring
	46	Split Ring
	46	Heavy Split Ring
	47	Powerful BB Swivel
	47	Combi BB Swivel
	47	Assist BB Swivel
	49	Curve Point Treble 11
	51	Curve Point Treble 21-31
	52	Light Quick
	53	Spark
	54	Light Jiggling Hook
	55	Ijika
	56	Double Barb
	57	Kudako
	58	Ringed Kudako
	59	Saber hook

Rubber Jig	62	Slide Answer
	63	Slide Answer Head
	63	Slide Spare Hook
	64	Silicone Skirt
	64	Powerful Slide Spare Hook
	65	Spare Skirt
	66	Spare Necktie
	67	Spare Rubber
	68	Answer Silicone Tube

Bag	70	Jigger Bag III
	70	Expedition Bag IV
	71	Water Guard Case II
	71	Washable Jig Bag III
	71	Washable Answer Bag III
	72	System Jig Bag III
	72	Separate Jig Bag III
	73	Sports Bag

Goods	74	Rod Belt
	74	Rod Tip Cover
	75	Mesh Cap
	75	Mesh Sunvisor
	75	Glove
	76	Work Cap
	76	Wappen Cap
	76	Inflatable Life Ring
	77	Auto Inflatable Life Vest
	77	Gaff Knife
	78	Shout! Sticker

2014 Shout! FISHERMAN'S TOOLS
FOR JIGGING DREAMER

Knot Tool

The Middle is Revolution

The Evolution of the Bobbin Knotter Continues.

Pushing the limits of the power knot to the next dimension: Bobbin Knotter II

Normal Model
Bobbin Knotter III



Light Model
Light Bobbin Knotter III

1 EVOLUTION

Full model change



Totally redesigned for improved weight balance and ease-of-use.

3 EVOLUTION

Pipe lock system


Pipe lock mechanism. Pipe is completely anchored to prevent slippage even when tying high-tension PR knots.




2 EVOLUTION

Drag click sound

Clicking system incorporated into the drag dial for finer adjustment with greater accuracy.



Lock mechanism to prevent pipe slippage during high-tension rotation.



Remove lock prior to storage to slide the pipe toward the bobbin.

THE NEW!

3rd GENERATION

The PR knot machine equipped with high operativity and reliability.

A new standard in quality PR knots from Shout!



Bobbin Knotter III

THE MOST POWERFUL KNOT MACHINE

PR knotting information also available on our homepage!
<http://www.shout-net.com/>

The Most Powerful PR Knotting Machine **Normal Model**

Bobbin Knotter III ^{PAT.} 313BK

PR knotting machine to bring out maximum potential from your line system. The Version III model has been redesigned for improved overall balance and ease-of-use, and greater winding accuracy. The normal model for use with #3 - #6 PE line is suited to a wide range of jigging game, from off-shore power jigging to light jigging in coastal waters.

■ Bobbin Knotter III
 Product No. CODE No. Weight Recommended PE Line
 313BK 073935 62g (3~6 Number)
 ◆ Minimum order qty: 1 ※Suggested PE line is recommended.

Recommended # **3~6**
 PE Line



The Most Powerful PR Knotting Machine **Light Model**

Light Bobbin Knotter III ^{PAT.} 314BK

Light model of the Bobbin Knotter III. Light game requires the maximized potential of the PR knot. This lighter model has been designed for use with #1 - #3 PE line. Enjoy lighter lines without worry of reduced strength due to knotting. Light Bobbin Knotter III opens new doors to what can be accomplished with light line.

■ Light Bobbin Knotter III
 Product No. CODE No. Weight Recommended PE Line
 314BK 073942 46g (1~3 Number)
 ◆ Minimum order qty: 1 ※Suggested PE line is recommended.

Recommended # **1~3**
 PE Line



PR KNOT

Bobbin Knotter III
THE MOST POWERFUL KNOT MACHINE

The strongest PR knot, made with Bobbin Knotter III!

Make knots you can trust for results yours!



This high-strength line system which surpasses the rest was invented in Nagasaki: the "PR knot." This is the ultimate knot between PE line and the leader line.

Bobbin Knotter III for the most powerful PR knot.

PE line

PE knot

leader

The material of the leader that is made of Nylon and Fluorocarbon is monofilament (single line), whereas the main line, PE line, is braided (stranded) line. How to bind these two materials together? It took long time to figure that out. PE is a bundle of high polymer polyethylene fibers and it shows the highest strength when each fiber has been applied with the same burden. However, when PE with 2 to 3% of elasticity is combined with a leader, it is really difficult to put even burden on all of the fibers. The main cause of decrease in the strength of line system lies here. It sometimes happens that even the fibers are half-stretched, the other half do not get any burdens at all, and in that case, the strength will be halved as well. Moreover, since high polymer polyethylene is so hard, there is a reason that the material is used as stranded line. If single line, or monofilament, is used, it will easily be broken when it is bent. Less elasticity means it is hard. PE is the line, which cannot be used as a single line, brings the flexibility out by making it thin and combine it together. However, the hardness of the line remains the same even making it thin. The strength of the line decreases dramatically when it is bent. All jiggers know the fact that the line breaks when it has a bump in middle of PE line. The bump caused by a knot on PE line, which is bent at acute angle, breaks rather than snaps. I want you to think that do PE line bent sharply in the existing line systems?

A knot that can solve the weakness of PE line has been developed by Mr Harada of an Outdoor Shop 'Pack Rat' in Nagasaki. The knot named 'PR knot' has been spread all over the country by Mr Iwasaki, who is a captain of Koryo-maru in Hirado, home of Hiramasa (Kingfish) fishing.

The PE line, which has been winded gently to a leader without bending it by Bobbin Knotter, makes each fibers stretched evenly, and after that, it is winded back closely and locked by spin of the Bobby Knotter. There are no factors that the line's strength is decreased. In few years time, most of the anglers who love jigging will use the PR knot and challenge for the big ones to make their dreams come true.





Practical know-how applied in every detail.
Tools for the off-shore game from Shout!


Offshore Fisherman's Tool

Shout! Scissors

Before your eyes, big eaters are attacking on a school of smaller fish. Inspiration strikes. Even with a wide variety of tackle on hand, you'll still need time rebuilding your rig to suit your technique.

Not only do these PE scissors cut cleanly through soft PE line, they also feature pick-up points to allow quick handling when laid on a flat surface. These specialized scissors help you make the best of any situation by focusing on building up your rig, stress-free.

① Do not use to cut metallic thread or wire; may nick blade. ② Be aware of persons around you and never allow body contact with blade. Never point scissors at others. ③ Store out of reach of children when not in use. Do not leave unattended where people walk or where there is a risk of falling. ④ Clean thoroughly after use and wipe dry prior to storage.



Clean cutting through PE line, compact design off-shore scissors.

PE Scissors

Length **10cm** ■ PE scissors

Code	Length	CODE No.	811SC
811SC	10cm	062069	

 ◆ Minimum order qty: 1



Medium type PE scissors for cutting PE or leader line.

PE Scissors Medium

Length **13cm** ■ PE scissors Medium

Code	Length	CODE No.	812SC
812SC	13cm	070459	

 ◆ Minimum order qty: 1




How to Tie the PR Knot



Bobbin Knotter *The Most Powerful Knot-Mixing*



1. Pull the Zirconia pipe out by loosening the zipper on the tip of the Bobbin Knotter and tighten the zip again to stabilize it. Then, thread the PE line through from the tip of the Zirconia pipe.



2. Pull the PE line out and tie it around in between two O-rings.




10. Wind the line by turning the Bobbin Knotter. It is important that the tip of the Zirconia pipe is attached to the leader. * Be careful not to get injured as the Bobbin Knotter could fly out. Always check the amount of the bobbin.


3. Tie the PE line around the bobbin from the side that was stabilized on the O-ring for 15 to 20 times. * Please be careful that if you don't tie the line enough, then the bobbin will not have enough line during the turning movement of the Bobbin Knotter as explained in 10, and it may cause an injury to your finger as the Bobbin Knotter could fly out.




4. Set it to make the line dragged out with appropriate tension by adjusting the dial. The tension is recommended to set at around 0.5 to 1Kg.




9. Wind it back for couple of times as illustrated. Then tie it around onto right hand making sure to keep the leader attached to the Zirconia pipe.




8. Tie the leader around left middle finger for 3 to 4 times to stabilize it. Then wind back the PE line that was tied onto the leader to the other way.




5. Join the leader and the PE line together for around 30cm.




6. Tie the leader and the PE line around right middle finger for 3 to 4 times and hold it tight not to let it loosen.



7. Tie the PE line onto the leader roughly. The length should be 7 to 10cm.



11. Recommended length of the line to wind is 7 to 10cm.



12. Hold the line on the left hand not to let it looser and pull the Bobbin knotter. Then pull the PE line for 30cm and cut it.



13. Braid the leader and the main line, i.e. PE line, with half hitch. It is important to tighten the leader and the main line while making the half hitch.



14. Tighten up the half hitch each time.



15. Make 4 half hitches alternatively.




16. Once half hitches are made, then leave the leader for 2 to 3mm and cut the rest.


How to bind TN Knot

TRIPLE KNIT KNOT

24. Completion




23. Burn the PE line that has just been cut making sure that the heat does not reach the main PE line.



22. Make an end knot so that braided PE line does not come loose. Then leave the line for 2 to 3mm and cut it.




21. Make 6 to 8 half hitches alternatively.



20. Braid the remainder of PE line onto the main PE line.


19. Completion of the leader and the main PE line braiding.

18. Continue making the half hitches up to the point where the knot of the leader is.




17. Make a knot by burning the tip of the leader with a lighter. Be careful not to let the heat reach the PE line.

7. Tighten the leader while maintaining the position.




1. Thread the leader through the ring.



8. It makes a knot with triple helix on the ring.




2. Hold the ring as shown in the picture and thread the leader through the ring again.



9. Use the remainder of the leader to make half hitches. Tighten up the half hitch each time.




3. Make a trimmed double helix by threading the leader through the ring once again.



10. Tighten the half hitches alternatively.




4. Tighten the double helix and check that the helix is well-trimmed.




11. Tighten the half hitches alternatively for 6 to 8 times.




5. Loosen the double helix slightly as shown in the picture.




12. Bite the edge of the knot to prevent from loosening it.



6. Thread the leader through the double helix as shown in the picture.



13. Leave the part where it has been bitten and cut the rest. Completion of TN Knot!



2014 Shout! FISHERMAN'S TOOLS
FOR JIGGING DREAMER

OFFSHORE ROD

Stimulates all possibilities for the SPJ game.



The perfect rod for the Slow Pitch Jerk

SPJ Master!

SEDUCE SPJ
Series of SeduceSPJ



BLUE

SPJ Master

■ SEDUCE SPJ SPJ Master ※ (SPJ Rider) power-type model.

Product	Code	CODE No.	Length (ft)	Weight	Type	Power	Line Weight	PE Line	Drag Max	Joint
SPJ Master	SSM664B	07392B	6'6"	145g	B	2	120~250g	#15~3	2.5kg	One Piece

SEDUCE SPJ SPJ Master

BAIT

SPJ Rider

■ SEDUCE SPJ SPJ Rider

Product	Code	CODE No.	Length (ft)	Weight	Type	Power	Line Weight	PE Line	Drag Max	Joint
SPJ Rider	SSR662B	073584	6'6"	146g	B	2	80~150g	#1~2	2.5kg	One Piece

SEDUCE SPJ SPJ Rider

BAIT



RED

Be master of the casting game
with this mightiest of Shout! Rods.

SEDUCE CAST
Series of SeduceCast

Lasso

■ SeduceCast Lasso

Product	Code	CODE No.	Length (ft)	Weight	Type	Power	Line Weight	PE Line	Drag Max	Joint
Lasso	SCLB72S	065916	8'7"	396g	S	2	40~80g	#3~5	7kg	Offset

SeduceCast Lasso

SPINNING



Wild Tamer

■ SeduceCast WildTamer

Product	Code	CODE No.	Length (ft)	Weight	Type	Power	Line Weight	PE Line	Drag Max	Joint
WildTamer	SCW873S	065923	8'7"	427g	S	3	60~100g	#4~6	10kg	Offset

SeduceCast WildTamer

SPINNING




SPJ MASTER



SPJ Master/Rider

SPJ taper design puts the weight of the jig into the butt of the rod for full bounce in the jerk.

(SPJ Master/Rider)Bait Series Design





Titanium frame, SIC guide.



Rear grip designed specifically for SPJ.

- Slow taper rod designed specifically for the Slow Pitch Jerk.
- Thick rolled blank with ideal curvature and bounce to compliment jig action.
- High sensitivity with titanium frame SIC guide layout ideal for the Slow Pitch Jerk.
 - ⊗ Due to highly elastic carbon blank, there is risk of breakage if the rod is maintained upright when fighting to reel in the fish. When reeling in, the top of the rod's curvature should not exceed eye-level.



(SeduceCast) Spinning Series Design



K guide (tip end)



Ocean guide



Rear grip / Shout! embossed

- Casting rod for yellowtail amberjack using diving-type pencil baits such as Entice.
- Longer length and taper for long casting. Flexible tip for smooth dive of the lure and excellent dig-in on the bite. Firm butt has the strength to stop the deep run of yellowtail amberjack.
- Features tangle-resistant K guide in the rod tip.



- Strengthened version of the "Lasso" rod for yellowtail amberjack fishing with diving pencils.
- Powerful butt has the strength to stop the deep run of omasa. Bounce to create long casting, and unrestricted ease-of-use with large-sized pencils. Potential for tuna fishing as well.
- Features tangle-resistant K guide in the rod tip.



SEDUCE Series aiming for the monster catch.
Seven maximum strength blanks to grasp the essence of jigging.

SEDUCE
Series of Seduce

Kudako Drift

SEDUCE Kudako Drift **BAIT**

■ SEDUCE Kudako Drift

Product	Code	CODE No.	Length (ft)	Weight	Type	Power	Jig Weight	PE Line	Drag Max	Joint
Kudako Drift	SKD574B	040890	5'7"	207g	B	4	150~300g	#3~5	4kg	One Piece

Deep Lifter

SEDUCE Deep Lifter **BAIT**

■ SEDUCE Deep Lifter

Product	Code	CODE No.	Length (ft)	Weight	Type	Power	Jig Weight	PE Line	Drag Max	Joint
Deep Lifter	SDL575B	040937	5'7"	250g	B	5	150~300g	#4~6	7kg	One Piece

Stay & Jerk

SEDUCE Stay&Jerk **SPINNING**

■ SEDUCE Stay&Jerk

Product	Code	CODE No.	Length (ft)	Weight	Type	Power	Jig Weight	PE Line	Drag Max	Joint
Stay&Jerk	SSJ603S	040906	6'0"	220g	S	3	80~160g	#2~4	3kg	One Piece

Crazy Jerker

SEDUCE Crazy Jerker **SPINNING**

■ SEDUCE Crazy Jerker

Product	Code	CODE No.	Length (ft)	Weight	Type	Power	Jig Weight	PE Line	Drag Max	Joint
Crazy Jerker	SCJ613S	040876	6'1"	225g	S	3	100~200g	#2~4	4kg	One Piece

Ocean Cutter

SEDUCE Ocean Cutter **SPINNING**

■ SEDUCE Ocean Cutter

Product	Code	CODE No.	Length (ft)	Weight	Type	Power	Jig Weight	PE Line	Drag Max	Joint
Ocean Cutter	SOC574S	040883	5'7"	233g	S	4	150~300g	#3~5	5kg	One Piece

Slide Impact

SEDUCE Slide Impact **SPINNING**

■ SEDUCE Slide Impact

Product	Code	CODE No.	Length (ft)	Weight	Type	Power	Jig Weight	PE Line	Drag Max	Joint
Slide Impact	SSI554S	040913	5'5"	225g	S	4	120~200g	#3~5	4kg	One Piece


Magnum Slide

SEDUCE Magnum Slide **SPINNING**

■ SEDUCE Magnum Slide

Product	Code	CODE No.	Length (ft)	Weight	Type	Power	Jig Weight	PE Line	Drag Max	Joint
マガナムスライド	SMS535S	040920	5'3"	230g	S	5	180~240g	#4~6	4.5kg	One Piece

(SEDUCE) Bait Series Design



- Rod specialized for big Japanese amberjack fishing in the Kudako waters off the island Nuwajima in Ehime.
- Power for lifts of over 10kg from the fast and rough bottom waters, and a strength to stand up to the most severe abuse.
- Potential on deep excursions aiming for greater amberjack as well.



- Rod for speed jerk with heavy jigs aiming for the deep greater amberjack.
- Overall bend from the tip to the butt to stand up to the most heavy-duty super torque runs. High-torque hard butt provides for powerful lift.



(Seduce) Spinning Series Design



- Basic model for jigging in coastal waters for mid-sized blue-back fish.
- Control the medium-weight stay for a repeated stay-and-jerk technique.
- Handling finesse to coax blue-back fish in high-pressure coastal waters.



- Double clutch jerk rod for a buoyant speed jerk to entrance mid-sized blue-back fish in high-pressure coastal waters.
- 6'1" in length for good handling and effective bend with strong fish. Reduced stress on the wrists when speed jerking for use with a variety of jigs.
- Masayuki IZUMI model.



- Power-type for a wide range of jerk combinations with emphasis on jig movement aiming for Japanese amberjack, yellowtail amberjack and greater amberjack.
- Enjoy the fight to the fullest with this rod's firmness and body in the butt needed to take on the blue-back fish's strong pull. This is one rod you will want to take with you on deep-water outings.
- Masayuki IZUMI model.



- Aiming for yellowtail amberjack off the coast of Japan with Slide Actor.
- This special rod enables a buoyant one-crank jerk for a dramatic long-distance slide.
- Length and bounce with emphasis on handling for the one-crank jerk with long jigs.



- Heavy rod to bring in big 20kg-plus yellowtail amberjack using 200g and 140g Slide Actor with the one-crank jerk.
- This power rod takes the upper hand against yellowtail amberjack's fast run.
- Designed with long jigs in mind for crisp darting action.



For those who go beyond boundaries.

SEDUCE

Control the jig at will. "Seduce Light" Series
Three blanks for highly functional light jigging.

SEDUCE LIGHT
〈Seduce Light〉Series

Slow Move

SeduceLight Slow Move

BAIT

■ SEDUCE Light Slow Move

Product	Code	CODE No.	Length (ft)	Weight	Type	Power	Jig Weight	PE Line	Drag Max	Joint
Slow Move	SSM661B	040944	6'6"	160g	B	1	50~70g	#0.8~1.5	2kg	Offset

Lighten Tune

SeduceLight Lighten Tune

BAIT

■ SEDUCE Light Lighten Tune

Product	Code	CODE No.	Length (ft)	Weight	Type	Power	Jig Weight	PE Line	Drag Max	Joint
Lighten Tune	SLT671B	040951	6'7"	160g	B	1	50~90g	#0.8~2	2.5kg	Offset

Flat Beat

SeduceLight Flat Beat

BAIT

■ SEDUCE Light Flat Beat

Product	Code	CODE No.	Length (ft)	Weight	Type	Power	Jig Weight	PE Line	Drag Max	Joint
Flat Beat	SFB672B	040968	6'7"	156g	B	2	50~120g	#1~2	2.5kg	Offset

Invite! Control! Lift! "Answer Shaft"
highly specialized blanks for Tai-raba.

ANSWER SHAFT
Rubber Tail Jig for Bream!
(アンサーシャフト)

Answer Shaft

Answer Shaft

BAIT

■ Answer Shaft

Product	Code	CODE No.	Length (ft)	Weight	Type	Power	Jig Weight	PE Line	Drag Max	Joint
Answer Shaft	84-AS	028034	6'4"	115g	B	0	45~90g	#0.6~1.5	2kg	Offset



(Seduce Light) Bait Series Design



- This is the rod to control light-weight jigs and invite your target with ultra-slow style one-crank jerk
- Best suited for jigs in the 50g range with a low-gear reel (50 to 55cm per handle rotation.)
- Never miss a bite on the one-crank slow jerk with superb tip follow-up.



- All-round light jigging rod for various weights with smooth load shift from tip to butt.
- Tapered design for flexible response with jigs in the 50g to 90g range and reels with pitch from 50cm to 75cm.




- Control the bounce of this fast tapered design to wiggle the jig with a high-tempo one-crank jerk.
- Flexible tip and powerful butt can be used for light jigging for blue-back fish.
- The bounce of the tip lends itself to jerk style with low-gear reels (50 to 55cm per handle rotation.) yet the butt still has the power to move the jig speed-jerk style with high gear reels (70 to 75cm.)
- Yoshihisa HIRATA model.



- Specialized design for red sea bream rubber jigging. LDB guide specification for the tip.
- Smooth shift from the tip to the butt with the superb firmness of belly needed for the hook-up.
- No foregrip, leaving your index finger in contact with the unpainted surface when palming the rod.



Clench the pulse of the red sea bream.
No foregrip; unpainted blank.



2014 Shout! FISHERMAN'S TOOLS
FOR JIGGING DREAMER

Shout! Lure

The Dream is realized!



ENGRA
SEDUCE BAIT
Shout! Offshore Casting Plug

Seduce
SEDUCE DIVE
Shout! Offshore Casting Wood Plug


Curve Point Treble
The long-awaited
series is finally complete!

CURVE POINT TREBLE

From light game to casting power game, this Shout!
concept treble covers all kinds of salt water fishing.

See Pages 51 through 53 for detailed specifications.

- 11**
LIGHT
WIRE MODEL 15-20-21-1
- 21**
MEDIUM
WIRE MODEL 18-20-21-1
- 31**
HEAVY
WIRE MODEL 18-20-21-1



Absolute physical
superiority, Curve Point!

ARS

ENGRA (604EF Floating) (605ES Sinking) (606EE Extra Sinking)

Fly. Swim. Invite. This new standard in real pencil baits captures the full possibilities of the casting game.

Engra is a standard pencil bait with lifelike form and three characteristic types for adaptability to a wide range of off-shore conditions. Neither too large nor too small at 14cm. All models equipped with through-wire. Engra's action entices mahi mahi, blue-back fish and even tuna, allowing for bigger catches in off-shore casting game.

Floating Model

This model is specialized for surface action such as dog-walking, dives and stalls.

Sinking Model

This model sinks freefall with a rolling motion in a horizontal position. This action is effective beneath dense sardine schools. The angler has got nothing to do, just let it freefall. Tuna tune model for focus on tuna game. On the reel-in, just below the surface it carves out an S-shaped slalom action, which has also proven capable of some surprising catches.

Extra Sinking Model

This model is for the fast and nervous schools that never cooperate, and require additional flying distance. You can't get your game without reaching the school. Heavy-weight castability model.



Internal Structure (Extra Sinking Model)



Dreaming of the attack. Engra.



■ENGRA

Code	Type	Length	Weight	COLOR & CODE No.				
604EF	Floating	140mm	20g	(M)	(SM)	(SO)	(TU)	(K)
				064889	084902	064919	064926	064896
605ES	Sinking	140mm	59g	(M)	(SM)	(SO)	(TU)	(K)
				064933	084957	084964	084971	084940
606EE	Extra Sinking	140mm	84g	(M)	(SM)	(SO)	(TU)	(K)
				064988	085008	085084	085091	064995



140mm : 604EF / 605ES / 606EE



ENTICE 601ET (150mm/40g) 602ET (170mm/56g) 603ET (190mm/79g)

The embodiment of everything you've been looking for.

Aim for the yellowtail amberjack with the new generation of ENTICE!

- Dive-and-dart-action to entice targets even in the bottom to middle range, and casting distance that leaves the rest far behind.
- Dives leaving a trail of bubbles. Shape and buoyancy allow it to be dog-walked in the water.
- Weight balance for excellent flying distance.

The inviting long jerk is the main technique to attract yellow amberjack with ENTICE. If you jerk while maintaining a certain degree of line tension, you can dive leaving behind a stream of bubbles and dart from left to right. Excellent action even in choppy waves. Just the right degree of buoyancy for a slow float up. Rear balance design to maintain stability in the air for long casts, extending your radius of reach.

Switch from the long jerk to a short-distance twitch or short jerk to invite the bite after the chase or follow up on a missed bite.


◁Dive-and-dart▷Example of Main Technique with ENTICE

- Handle the rod downward and then long jerk.

Dive: while leaving a stream of bubbles.

DIVE & DART


irregular darts from right to left.



It's got to be "wood!"

These buoyancy and weight characteristics combined with Shout! design for an entirely new wood blank.

Entice your catch with irregular and dynamic movement like never before possible. Expanding unlimited possibilities for top water game.



Tempt the yellowtail amberjack to the top with surprising power.



COLOR CHART

■ENTICE

Code	Length	Weight	COLOR & CODE No.					
601ET	150mm	40g	(VI)	(SM)	(SO)	(TU)	(SI)	(K)
			057256	057263	057270	057287	057294	057300
602ET	170mm	56g	(VI)	(SM)	(SO)	(TU)	(SI)	(K)
			057317	057324	057331	057348	057355	057362
603ET	190mm	79g	(VI)	(SM)	(SO)	(TU)	(SI)	(K)
			057379	057386	057393	057409	057416	057423

◆Minimum order qty: 1 ◆Recommended hook: Shout! Curve Point Treble, 150mm 1/0 170mm 2/0 190mm 3/0
 ※Natural wood: slight variations in product weight may occur.



2014 Shout! FISHERMAN'S TOOLS
FOR JIGGING DREAMER

Shout! J I G
FOR DREAMER

Shout! Jig

The Dream is realized!



FLASH (Shooting Star Fall)
STROBE (Shooting Star Fall)
LIGHTEN (Lightning Bolt)
STAY (Yellow Eye Jigger)
WIDTH (Bright Thunder)
SLIDE ACTOR (Midwater Search)

Throw away your conventional thinking about high-speed reel-in high-power jigging! Take advantage of the slow pitch and long fall jerks to put finicky targets in the mood to make the bite. Master the difference between the two opposing FLASH and STROBE irregular falling actions!



Slow jigging is not all there is. In order to create living action, you need a jerk which can take advantage of the potential of a center-balanced jig. This is the slow pitch jerk. By jerking with weight applied to the butt of the rod, you can control the jig using only the rod's bounce. Along the vector of the jerk action, what kind of posture can the angler expect from the jig? It all depends on the rod taper, reel torque, and amount of line taken in on one crank of the reel.

With control of two flickering flashes of light in the deep sea, See into the instinct of your target, beyond mere feeding habits.

FLASH 181FL (100g) 182FL (150g) 183FL (190g) 184FL (250g)

FLASH

Shining Slow Fall



Slow Fall Model

- Center balanced.
- Flat shape
- Fluttering action

181FL 100g



COLOR CHART

FLASH

Code	Weights	COLOR & CODE No.									
181FL	100g	(P)	(B)	(BP)	(RG)	(GG)	(SH)	(ZG)	(SG)	(RZ)	
		064182	064179	064186	064193	064209	064216	064223	064230	073522	
182FL	150g	(P)	(B)	(BP)	(RG)	(GG)	(SH)	(ZG)	(SG)	(RZ)	
		064247	064254	064261	064278	064285	064292	064308	064315	073539	
183FL	190g	(P)	(B)	(BP)	(RG)	(GG)	(SH)	(ZG)	(SG)	(RZ)	
		064322	064339	064346	064353	064369	064377	064384	064391	073546	
184FL	250g	(P)	(B)	(BP)	(RG)	(GG)	(SH)	(ZG)	(SG)	(RZ)	
		064407	064414	064421	064438	064445	064452	064459	064476	073553	

◆ Minimum order qty: 3


* Zebra Glow and Red Zebra Glow only have glow pattern on the left side.



182FL 150g

183FL 190g

184FL 250g




STROBE 171ST(100g) 172ST(150g) 173ST(180g) 174ST(250g) 175ST(340g)

STROBE

Shining Fast Fall

Fast Fall Model

- Center balanced.
- Ultra-thick shape.
- Glistening action.



COLOR CHART

■STROBE

Code	Weight	COLOR & CODE No.								
		(P)	(B)	(BP)	(R)	(G)	(SH)	(Z)	(S)	(H)
171ST	100g	064469	064490	064508	064513	064820	064837	064844	064851	073478
		(P)	(B)	(BP)	(R)	(G)	(SH)	(Z)	(S)	(H)
172ST	150g	064568	064575	064582	064589	064609	064612	064629	064636	073485
		(P)	(B)	(BP)	(R)	(G)	(SH)	(Z)	(S)	(H)
173ST	180g	064643	064650	064667	064674	064681	064698	064704	064711	073492
		(P)	(B)	(BP)	(R)	(G)	(SH)	(Z)	(S)	(H)
174ST	250g	064728	064735	064742	064759	064766	064773	064780	064797	073508
		(P)	(B)	(BP)	(R)	(G)	(SH)	(Z)	(S)	(H)
175ST	340g	064830	064810	064827	064834	064841	064858	064865	064872	073515
		(P)	(B)	(BP)	(R)	(G)	(SH)	(Z)	(S)	(H)


◆ Minimum order qty: 3 ※ Zebra Glow and Red Zebra Glow only have glow pattern on the left side.



LIGHTEN 131LT (90g) 132LT (70g) 133LT (90g) 134LT (120g)


Practice of imagination establishes a new field

This is a jig that adheres to an action response in Slow Style Jerking with low gear reel. Although it has symmetrical shape and low center of gravity, its movement induces the reactions such as darting action, horizontal action and fluttering action with slow jerking. The jig possesses the results you can get with a small jig to capture Red sea bream, Horse mackerel, Mackerel and Rockfish as well as blue-back fish.



Slow Style jerking action that jigs could be ignored has the bite-inducing technique that you cannot relish with power jigging action, as opposed to speedy and strong jerking action by high gear reel and darting action that confuses the target. Control the rod softly and you can feel the water pressure that the jig is receiving. The power of the rod, control strength and the moment until the next movement - the action of the jig changes depending on the line handling during that moment. Let's try the action of the jig at the side of a boat to start with. When your image of the jig inside the water synchronizes with your tackle, then you can establish a new jigging style.

Make the most of light jigging game. Various targets will react



Bite-inducing metal in adjacent sea

LIGHTEN

Technical Slow Jerker!



COLOR CHART

■ LIGHTEN

Code	Weight	COLOR & CODE No											
131LT	50g	(P)	(BP)	(M)	(K)	(SH)	(CSG)	(NO)	(BG)	(GG)	(RG)	(ZG)	(RZ)
		047881	047938	048001	048018	048025	048032	048069	048056	048053	048070	082518	073430
132LT	70g	(P)	(BP)	(M)	(K)	(SH)	(CSG)	(NO)	(BG)	(GG)	(RG)	(ZG)	(RZ)
		048087	048094	048100	048117	048124	048131	048218	048223	048230	048247	082528	073447
133LT	90g	(P)	(BP)	(M)	(K)	(SH)	(CSG)	(NO)	(BG)	(GG)	(RG)	(ZG)	(RZ)
		048254	048261	048278	048285	048292	048308	048315	048322	048339	048346	082533	073454
134LT	120g	(P)	(BP)	(M)	(K)	(SH)	(CSG)	(NO)	(BG)	(GG)	(RG)	(ZG)	(RZ)
		048353	048360	048377	048384	048391	048407	048414	048421	048438	048445	082540	073461

◆ Minimum order qty: 3

※ Zebra Glow and Red Zebra Glow only have glow pattern on the left side.



STAY 111SY (60g) 112SY (80g) 113SY (100g) 114SY (130g) 115SY (160g) 116SY (200g) 117SY (300g) 118SY (400g) 119SY (500g)

Dart and pause action. The inducing horizontal position as if it is suspended can make a superb biting chance. The asymmetrical shape is not only for spiral dart action! The key is the straight stability using delta form.

The front weighted jig, ※ 'STAY', is specially developed to assist. The straight stability delta form is used to adhere to the action that was impossible with rear weighted jigs. The triple-edge shape provides the dart action like 'SLIDE ACTOR' in the water current. The horizontal position when pausing as if it is suspended gives superb 'biting moment' to target.

(※ Center weighted for the models over 130g)


The technical jig is especially for jiggling expert!

The existing rear weighted jigs have their own limits. This is because it used to have greater risk of tailing. Since the assist-only-jiggling is popular now, anglers are looking for the jigs that can arrange the action more diversely and freely depending on their skills. The reaction against jerking with 'STAY' is always in the front of the jig. Recommendations are to try various actions from slow to fast, and from rod butt tension jerking to line-slacked Hirado jerking. It provides horizontal position after darting and the fall action such as roll-and-fall action. You would probably able to say 'I made it bite' rather than 'I had a bite'.

In between the dart action, it acts as if it is suspended as if it is suspended in the water. This gives the 'biting moment' to the fish.



Front view
The 'STAY' jig approaches the target by rolling it like walking on the surface of the water. This gives the 'biting moment' to the fish.



'Biting moment' is there.

STAY

YELLOW TAIL JUNKIE




COLOR CHART

STAY

Code (Weight)	COLOR & CODE No.											
111SY 60g	(P)	(B)	(BP)	(I)	(C)	(BG)	(RG)	(GG)	(SH)	(AT)	(ZG)	(RZ)
	046502	046519	046526	046533	046540	046557	046564	046571	046588	046595	046602	073287
112SY 80g	(P)	(B)	(BP)	(I)	(C)	(BG)	(RG)	(GG)	(SH)	(AT)	(ZG)	(RZ)
	046601	046618	046625	046632	046649	046656	046663	046670	046687	046694	046701	073294
113SY 100g	(P)	(B)	(BP)	(I)	(C)	(BG)	(RG)	(GG)	(SH)	(AT)	(ZG)	(RZ)
	046700	046717	046724	046731	046748	046755	046762	046770	046786	046793	046800	073300
114SY 130g	(P)	(B)	(BP)	(I)	(C)	(BG)	(RG)	(GG)	(SH)	(AT)	(ZG)	(RZ)
	046809	046816	046823	046830	046847	046854	046861	046878	046885	046892	046900	073317
115SY 160g	(P)	(B)	(BP)	(I)	(C)	(BG)	(RG)	(GG)	(SH)	(AT)	(ZG)	(RZ)
	046908	046915	046922	046939	046946	046953	046960	046977	046984	046991	047008	073324
116SY 200g	(P)	(B)	(BP)	(I)	(C)	(BG)	(RG)	(GG)	(SH)	(AT)	(ZG)	(RZ)
	047004	047011	047028	047035	047042	047059	047066	047073	047141	047168	047195	073331
117SY 300g	(P)	(B)	(BP)	(I)	(C)	(BG)	(RG)	(GG)	(SH)	(AT)	(ZG)	(RZ)
	047185	047192	047199	047206	047213	047220	047227	047234	047241	047257	047264	073338
118SY 400g	(P)	(B)	(BP)	(I)	(C)	(BG)	(RG)	(GG)	(SH)	(AT)	(ZG)	(RZ)
	063493	063509	063516	/	/	/	063530	063538	063547	/	063554	073355
119SY 500g	(P)	(B)	(BP)	(I)	(C)	(BG)	(RG)	(GG)	(SH)	(AT)	(ZG)	(RZ)
	064032	064049	064056	/	/	/	064070	064082	064087	/	064094	073362

◆ Order unit 60g~300g/3pcs 400g~500g/1pcs ※ Zebra Glow and Red Zebra Glow only have glow pattern on the left side.



80g 160g




WIDTH 161WD (100g) 162WD (140g) 163WD (180g) 164WD (210g)
Control the inviting dart and horizontal posture to get your target in the mood to bite.

Have you ever thought to yourself while You'RE on the boat? "If I could just get a little more dart performance with a bigger silhouette than with Stay..." "What if the target just can't keep up with Slide Actor's high-speed long dart?" "How can I dart more slowly to give my target time to bite?"

The original short-type asymmetrical delta-form jig "Stay" allows "time to bite" with excellent dart performance, but a little more length allows for even better dart performance. "Slide Actor" is designed for a powerful one-crank long dart, but it's just a little too long for best dart performance on short jerks. WIDTH has the perfect weight balance to combine both long and short characteristics. This jig can be controlled with a variety of rod techniques to get your target in the mood to take the "time to bite."

WIDTH enables a variety of performance to match the fish you're after and greatly widens the range of targets you can take aim for.



Dual control jig for a synthesis of long and short.

WIDTH
 Dual Control



COLOR CHART

WIDTH		COLOR & CODE No.							
Code	Weight	(P)	(B)	(BP)	(I)	(RG)	(SH)	(AT)	(ZG)
161WD	100g	049572	049589	049596	049602	049619	049626	049633	062625
162WD	140g	049640	049657	049664	049671	049688	049695	049701	062632
163WD	180g	049718	049725	049732	049749	049756	049763	049770	062649
164WD	210g	049787	049794	049800	049817	049824	049831	049848	062656






SLIDE ACTOR 121SA(120g) 122SA(160g) 123SA(200g) 124SA(240g)

Slide, slide, slide.....

Asymmetrical delta form licks the water, slides and swims in the water. The fishes are tossed back and forth. It stimulates the instinct.



A long jig (Slide Actor) shows phenomenal dart action with assist-only one pitch jerk. It is clear that which side of the jig is facing up or down even when darting, and the asymmetrical delta form was developed after investigating the shape that can swim in the water without decreasing its speed. 3 edges adjust the water current of the jig surface and provide the straightness of the jig. The front nose has been trimmed to the utmost limit to suppress the pulling resistance. It falls with rolling action when it is in the horizontal position after long range darting, and the 3 flat sides reflect diffusely even smallest light.



Amberjack goes wild!

I would like you to drop the jig into the water within your vision from the side of the boat, and perform one jerk action lightly trying not to jump it up above the surface. The jig that was released from the rod's repulsion power starts to swim itself. 'How far is it going?' The jig makes the dart action sideways freely taking the shock leader with it. At this moment, the shape of the leader from the rod must be 'hook' shaped. Then perform the jerking action again without reeling up and make a huge darting action to the other way.

If you see the dart, then you will understand how to control the Slide Actor. You cannot say that you have mastered using the jig, if you only give the tension continuously to the line and control it by bending the rod. You should give plenty lines to the jig that swims freely after the assist-only jerking. Once the jig swims freely, then it increases the dart width to the side after each one jerk action. The jig has something to stimulate, confuse, drive and be attached the instinct of amberjack!



SLIDE ACTOR

Code	Weights	Length	COLOR & CODE No.						
121SA	120g	23.0cm	(P)	(B)	(BP)	(SF)	(RG)	(AT)	(ZG)
			047264	047271	047288	047295	047301	047318	062663
122SA	160g	24.3cm	(P)	(B)	(BP)	(SF)	(RG)	(AT)	(ZG)
			047305	047332	047349	047356	047363	047370	062670
123SA	200g	25.5cm	(P)	(B)	(BP)	(SF)	(RG)	(AT)	(ZG)
			047387	047394	047400	047417	047424	047431	062687
124SA	240g	27.5cm	(P)	(B)	(BP)	(SF)	(RG)	(AT)	(ZG)
			047448	047455	047462	047479	047486	047493	062694

◆ Minimum order qty: 3 ◆ Zebra Glow and Red Zebra Glow only have glow pattern on the left side.




Introducing the new cradle attack for the slow pitch jerk.




CRADLE 185CD 80g 186CD 100g 187CD 150g 188CD 200g 189CD 300g 190CD 400g

This is the trump card to grab the attention of fish that otherwise wouldn't give you the time of day. Slow falling action is able to entice even the most inactive targets without startling them, and turn their feeding instincts on.

Cradle is the polar opposite of STROBE's strong, dazzling wave action. This jig features a slow and rocking cradle-like action, able to grab the attention of the most inactive targets without putting them on guard. Use this jig's quiet appeal as a second line of attack when running into a dead end with high-appeal jigs such as STROBE or FLASH.



Enticing Cradle Action



COLOR CHART



■ CRADLE

Code	Weights	COLOR & CODE No.							
		(P)	(BP)	(RG)	(GG)	(SH)	(ZG)	(RZ)	(UG)
185CD	80g	085112	085120	085138	085143	085150	085167	085174	085181
		(P)	(BP)	(RG)	(GG)	(SH)	(ZG)	(RZ)	(UG)
186CD	100g	085211	085220	085235	085242	085259	085266	085273	085280
		(P)	(BP)	(RG)	(GG)	(SH)	(ZG)	(RZ)	(UG)
187CD	150g	085310	085327	085334	085341	085358	085365	085372	085389
		(P)	(BP)	(RG)	(GG)	(SH)	(ZG)	(RZ)	(UG)
188CD	200g	085419	085426	085433	085440	085457	085464	085471	085488
		(P)	(BP)	(RG)	(GG)	(SH)	(ZG)	(RZ)	(UG)
189CD	300g	085518	085525	085532	085549	085556	085563	085570	085587
		(P)	(BP)	(RG)	(GG)	(SH)	(ZG)	(RZ)	(UG)
190CD	400g	085617	085624	085631	085648	085655	085662	085679	085686
		(P)	(BP)	(RG)	(GG)	(SH)	(ZG)	(RZ)	(UG)

◆ Order unit 80g~200g/3pcs. 300g,400g/1pc. ※ Zebra Glow and Red Zebra Glow only have glow pattern on the left side.


Specialized assist hook for black rockfish and horse mackerel fishing!

KIMO KEEPER 312KK

KIMO KEEPER FINESSE 313KK

ASSIST HOOK FOR MEBARING, AIBING

KIMO KEEPER



The perfect assist hook for black rockfish and horse mackerel fishing. Night-glow coating on the center of the shaft. Keep a firm hold on the work while mimicking the bait's organ (kimo.) Glows in the water for effectiveness as a bite marker as well. KIMO KEEPER is suitable to all kinds of black rockfish fishing scenarios, with KIMO KEEPER FINESSE designed to be easily sucked in when the fish are less active.

Bite marker to anchor the worm!



Finesse Hook

■KIMOKEEPER (MeberuHook)


Code	PE LINE	quantity	SIZE & CODE No.
312KK	T=#0.8 L=20cm	3	S
			M
			063448

◆Order unit 6pcs ◆36pcs Per Case

■KIMOKEEPER (FinesseHook)

Code	PE LINE	quantity	SIZE & CODE No.
313KK	T=#0.8 L=20cm	3	S
			M
			063462

◆Order unit 6pcs ◆36pcs Per Case



KIMO SHAFT 314KS ASSIST SHAFT FOR MEBARING, AIBING

KIMO SHAFT



The perfect assist hook shaft for black rockfish and horse mackerel fishing. Night-glow coating on the center of the shaft. Keep a firm hold on the work while mimicking the bait's organ (kimo.) Glows in the water for effectiveness as a bite marker as well.

■KIMO SHAFT

Code	quantity	CODE No.
314KS	8	065468

◆Order unit 6pcs ◆36pcs Per Case

Bite marker to anchor the worm!



Attach assist hook.



WIND ASSIST for largehead hairtail and sea bass!

ASSIST HOOK FOR SABER FISH, SEABASS

WIND ASSIST 309WA(White) 311WA(Red)

WIND ASSIST



Ideal winding assist double hook for largehead hairtail and sea bass. Hook formed to a 70° angle for improved hooking rate with no reduction in darting performance. Thin shrink tube fitted on the hook eye for easy piercing; safer for use at night.




■WIND ASSIST


Code	Hook Color	quantity	SIZE & CODE No.
309WA	White	5	S
			M
			082459
311WA	Red	5	M
			L
			082465

Code	Hook Color	quantity	SIZE & CODE No.
309WA	White	5	S
			M
			082489
311WA	Red	5	M
			L
			082496


◆Order unit 6pcs ◆6pcs Per Case



WIND ASSIST (White)



WIND ASSIST (Red)



CAST SPARK 322CS

CAST SPARK

New sizes:
#2 & #1

Shore Jigging Assist!


■CAST SPARK

Code	SIZE/quantity & CODE No.		
	2(4)	1(4)	
	079159	079166	
322CS	1/0(3)	2/0(3)	3/0(3)
	072921	072938	072945
	4/0(2)	5/0(2)	
	072952	072969	


◆Order unit 6pcs ◆12pcs Per Case



Spark Hook PE Line Welded Ring Split Ring
Assist hook specifically designed for shore jigging. Hook size line-up suitable for shore-range targets such as blue-back fish, sea bass and rockfish.
Spark hook provides good piercing performance to hook up bites from off-shore fish as well. Individual PE line lengths for each size to ensure compatibility with small-size casting jigs.



Assist designed specifically for shore rigging. Featuring "Spark Hook" for unbelievable hooking performance.



MAME JACO 302MJ

FOR SHORE CASTING JIG

MAME JACO

For ultra-light shore casting game such as rockfish, horse mackerel, bigeye trevally and barracuda!




Finesse Hook PE Line Mackerel Skin White Threads
Jaco Hook is the assist with lots of results. This hook is specialized for shore casting / ultra-light game such as rockfish, horse mackerel, bigeye trevally or barracuda, with all the bite performance you expect.

■MAME JACO

Code	quantity	SIZE & CODE No.
302MJ	4	S
		044522
		M
		044539
		L
		044546
LL		
044553		

◆Order unit 6pcs ◆36pcs Per Case



LIGHT GAME ASSIST 44-LG

FOR SHORE CASTING JIG

LIGHT GAME ASSIST

For shore casting game such as blue-back fish, bigeye trevally, barracuda and Japanese Spanish mackerel!




Yaiba Hook PE LINE Welded Ring
Ideal assist hook for casting game aiming for small schooling fish. Features Yaiba hook with excellent piercing performance.

■LIGHT GAME ASSIST

Code	quantity	SIZE & CODE No.
44-LG	2Set	S
		015867
		M
		015874
		L
015881		
LL		
034042		

◆Order unit 6pcs
◆36pcs Per Case






SHIVER 191SV/30g 192SV/40g 193SV/60g 194SV/80g 195SV/100g

Designed for sense of presence on the fall. Irresistible trembling action!

Center balance delta form designed for slow pitch jerk from the shore. Edge shape provides for pronounced wobbling action on the fall for undulation to grab the attention of even far-off targets. In addition to this fall action, provides irregular action with the basic one-pitch jerk for shore jigging. Makes full advantage of jerk and fall techniques to get a wide range of fish including blue-backs, rockfish and sea bass biting!


SHORE • For shore casting jigging aiming for blue-back fish, Japanese Spanish mackerel, sea bass and more.
OFF SHORE • Shallow jigging. • Aiming for school swarms, surface, etc.



Shore jigging has tended to be viewed as just a monotonous repetition of the one-pitch jerk. Shiver has been developed to bring the off chore slow pitch jerk on-shore. The key is changing focus on the falling action from jerking "up" to jerking "down." When anglers are able to change their thinking, entirely new possibilities for shore jigging open up.



SHOUT! CONCEPT!
Shore jig!



COLOR CHART

SHIVER

Code	Weight	COLOR & CODE NO.						
191SV	30g	(P)	(BP)	(M)	(SH)	(RG)	(ZG)	(RZ)
		072501	072518	072525	072532	072549	072556	072563
192SV	40g	(P)	(BP)	(M)	(SH)	(RG)	(ZG)	(RZ)
		072570	072587	072594	072600	072617	072624	072631
193SV	60g	(P)	(BP)	(M)	(SH)	(RG)	(ZG)	(RZ)
		072648	072655	072662	072679	072686	072693	072709
194SV	80g	(P)	(BP)	(M)	(SH)	(RG)	(ZG)	(RZ)
		072716	072723	072730	072747	072754	072761	072778
195SV	100g	(P)	(BP)	(M)	(SH)	(RG)	(ZG)	(RZ)
		072785	072792	072809	072815	072822	072839	072846

◆ Minimum order qty: 3 ※ Zebra Glow and Red Zebra Glow only have glow pattern on the left side.



191SV 30g 192SV 40g 193SV 60g




Mame DANGAN 03 DG (3g) 05 DG (5g)

**Fly long and search the waters further out!
Bring the target racing in with live action of small fish.**

This mini-sized DANGAN has all the flight and swimming performance of the original. Aim for targets previously out of reach such as bigeye trevally in shallow waters, black rockfish and barracuda. Line-up of seven colors including night-glow pink.

TARGET

Bigeye trevally, barracuda, black rockfish, crescent perch, etc.



Explosive destructive power. Mame DANGAN.

Mame DANGAN
Long Cast Ability



■Mame DANGAN

Code	Weight	COLOR & CODE No.						
03-DG	3g	(P)	(B)	(BP)	(I)	(S)	(RG)	(GP)
		042474	042481	042498	042504	042511	042528	042535
05-DG	5g	(P)	(B)	(BP)	(I)	(S)	(RG)	(GP)
		042542	042559	042566	042573	042590	042597	042603

◆Order unit 3pcs ◆6pcs Per Case



DANGAN JIG 1410G 10g 1420G 20g 1430G 30g 1440G 40g

Fly! Swim! A casting jig with extreme live action

The original tail-weighted balance and the shape provide reduced air resistance and gives stable flying position when casting. Therefore it can produce an excellent flying distance. It also provides proper swimming movement from straight retrieve action that induces a tricky wobbling action to twitching with tough rod handling. It is suitable for offshore game, sea bass game and jigging for blue-back fish at the quay, as well as fishing at rocky shore, bank and surf. This is the versatile basic jig which does not choose the situation or the target.

SHORE

- Suitable for shore casting targeting for jack, blue-back and sea bass with jigging at quay

OFF SHORE



- Suitable for sea bass and blue-back jigging at shallow point
- Suitable to target for boil and water surface at offshore

The jig finds the best nature of the game against various targets



The Energetic Movement of Flying fish

DANGAN
Long Cast Ability



THE CASTING JIG!




1410G 10g 1420G 20g 1430G 30g 1440G 40g

DANGAN JIG

Code	Weight	COLOR & CODE No.							
1410G	10g	(P)	(B)	(BP)	(I)	(S)	(RG)	(ZG)	(RZ)
		047509	047516	047523	047530	047547	047554	062700	073379
1420G	20g	(P)	(B)	(BP)	(I)	(S)	(RG)	(ZG)	(RZ)
		047561	047578	047585	047592	047608	047615	062717	073386
1430G	30g	(P)	(B)	(BP)	(I)	(S)	(RG)	(ZG)	(RZ)
		047622	047639	047646	047653	047660	047677	062724	073393
1440G	40g	(P)	(B)	(BP)	(I)	(S)	(RG)	(ZG)	(RZ)
		047684	047691	047707	047714	047721	047738	062731	073409

◆ Order unit 3pcs ◆ 3pcs Per Case ※Zebra Glow and Red Zebra Glow only have glow pattern on the left side.





SPARROW DANGAN 145DG (60g) 146DG (80g)

Fly! Swim! SPARROW DANGAN continues the DanGan tradition.

- Weight balance provides flying distance and action needed to go for blue-back fish from the shore.
- Excellent swimming ability. From tricky wobbly action on the straight retrieve to twitching movement with hard rod work.
- Formidable bevel jerk on-or-offshore with this basic jig.




145DG 60g

146DG 80g

SPARROW DANGAN

Long Cast Ability

Unbelievably long casting and lifelikeness.



One side is flat and the asymmetrical shape provides the stable swimming

Tail-weighted balance

Whittled side to reduce air resistance

Triangle shape to maximize the balance and action and to control water current

Flat side to produce wobbling action

THE CASTING JIG!

COLOR CHART



SPARROW DANGAN

Code	Weight	COLOR & CODE No.								
145DG	60g	(P)	(B)	(BP)	(I)	(S)	(RG)	(ZG)	(RZ)	
		055603	055610	055627	055634	055641	055658	062748	073418	
146DG	80g	(P)	(B)	(BP)	(I)	(S)	(RG)	(ZG)	(RZ)	
		055665	055672	055689	055696	055702	055719	062755	073423	

◆ Order unit 3pcs

※ Zebra Glow and Red Zebra Glow only have glow pattern on the left side



SPARE EYE SPARE EYE 421SE

3D eye for ultra-lifelike jigs and lures!

Eyes used on Shout! jigs for proven results. Use for repairs for your own original lures. Transparency and 3D depth turn your target's switch on.



SPARE EYE

Code	SIZE	Quantity	CODE No.
421SE	S	20	072464
	M	12	072471
	L	12	072480
	LL	8	072495


◆ Order unit 6pcs ◆ 24pcs Per Case

SPARE EYE Jig Compatibility Chart

SIZE	Compatible Jig
S (6.7mm diam)	STROBE 100g-150g
	FLASH 100g-150g
	STAY 60g
M (6.7mm diam)	DANGAN 60g-80g
	STROBE 180g-250g-340g
	FLASH 190g-250g
	LIGHTEN 80g-70g-90g
L (7.8mm diam)	STAY 80g-100g
	WIDTH 100g
	LIGHTEN 120g
LL (8.5mm diam)	SLIDE ACTOR 120g-160g-200g
	STAY 130g-160g-200g
	WIDTH 140g
LL (8.5mm diam)	SLIDE ACTOR 240g
	STAY 300g-400g-500g
	WIDTH 180g-210g

Assist & Hook

The image is realized



SALT
WORLD

ASSIST: JACO HOOK, JACO HOOK BLOW, FEATHER JACO, HOOK FISH ASSIST

MADAI ASSIST SINGLE, MADAI ASSIST REAR HOOK, LIGHT SYSTEM ASSIST, SINGLE SPARK, GAP SPARK, TWIN SPARK, HARD TWIN SPARK, DOUBLE BARB ASSIST, TWIN ASSIST
POWERFUL JACO, POWERFUL JACO BLOW, POWERFUL ASSIST, SABER ASSIST, ASSIST PE LINE, LIKA METAL ASSIST, METAL SHAFT

PARTS: COMBI RING, PRESS RING, HEAVY PRESS RING, SPLIT RING, HEAVY SPLIT RING, POWERFUL BB SWIVEL, COMBI BB SWIVEL, ASSIST BB SWIVEL

HOOK: CURVE POINT TREBLE (11) (21) (31), LIGHT QUICK, SPARK, LIGHT JIGGING HOOK, LIKA, DOUBLE BARB, KUDAKO, RINGED KUDAKO, SABER HOOK

Enter the world of appeal jigging!

JACO HOOK SERIES

APPEAL ASSIST FOR JIGGING!

JACO HOOK JH-02 APPEAL ASSIST

JACO HOOK




Beak Hook PE Line
Sardine-Skinned Rainbow Thread
The assist hook is made of sardine skin and rainbow thread which has an ability to appeal and is fine wire hook with its focus on hooking performance for adjacent sea. It can appeal against the target that has not reacted with single jig previously and can make it bite. As well as ability to appeal visually, it can be sucked into the target's mouth easily because of light hook and material, and it provides more improved rate of hooking than the ordinary assist hook. 3S and SS sizes which are compatible with casting jig are available.

■ JACO HOOK

Code	Quantity	SIZE & CODE No.		
	4	3S	SS	
		0990088	0990051	
JH-02	3	S	M	L
		0990113	099020	099037
	3	LL		
		099044		

◆Order unit 6pcs ◆24pcs Per Case



JACO HOOK GLOW JH-03

JACO HOOK GLOW



Beak Hook PE Line
Glow Rainbow Sheet
'JACO HOOK' with complete glow. It gives its best when the target range is in the deep sea area, the water is unclear and in the cloudy weather. It is also effective for rockfish at the bottom of the sea.

■ JACO HOOK GLOW

Code	Quantity	SIZE & CODE No.		
JH-03	3	S	M	L
		0990117	099024	099031
		LL		
		099048		

◆Order unit 6pcs ◆24pcs Per Case



FEATHER JACO 301FJ

FEATHER JACO HOOK FOR APPEAL

FEATHER JACO

Straight beak hook PE line mackerel skin White threads feather



With its ability to invite the bite, and ease of being sucked into the fish's mouth, Jack Hook has become the classic choice for jigging in coastal waters. Equipped with feather known for results aiming for blue-back fish. This Feather Jaco is the result of the search for greater appeal and ease of biting. Custom built straight-line hook for better penetration.



Enticing and easy for fish to bite! Pink Feather

■ FEATHER JACO

Code	Quantity	SIZE & CODE No.
301FJ	4	SS 044485
	3	S M L 044492 044508 044515

◆ Order unit 6pcs ◆ 24pcs Per Case

ROCK FISH ASSIST

305RP (ピンク) 306RG (グリーン)

ROCK FISH ASSIST

assist hook for rockfish jigging attached to the front and rear of the jig. Features soft glow bulb to prevent misalignment of the octopus bait.

■ ROCK FISH ASSIST

Code	Color	Quantity	SIZE & CODE No.
305RP	Pink Rainbow	3	S M 061857 061864
		2	L 061871
306RG	Glow Green	3	S M 061888 061895
		2	L 061901

◆ Order unit 6pcs ◆ 12pcs Per Case



Shout! ASSIST FOR DREAM



Excellent appeal for rockfish!



◆ CODE No. 4941-410

MADAI ASSIST SINGLE HOOK

26-MS 27-MS 28-MS

SINGLE HOOK FOR LIGHT JIGGING

MADAI ASSIST SINGLE


Madaï Hook PE Line Shrink tube

Lightweight hook effective for the hard-to-hook red sea bream. Chichiwa knot enables variable length for single, double or staggered setups.


■ MADAI ASSIST SINGLE HOOK

Code (Length of PE line)	Quantity	SIZE	CODE No.
26-MS(3cm)	3	S	0344400
		M	0344417
		L	0344424
27-MS(4cm)	3	S	0344431
		M	0344448
		L	0344455
28-MS(5cm)	3	S	0344462
		M	0344479
		L	0344486


◆ Order unit: 6pcs




26-MS
PE 3cm



27-MS
PE 4cm



28-MS
PE 5cm



MADAI ASSIST REAR HOOK 98-MR

REAR HOOK FOR LIGHT JIGGING

MADAI ASSIST REAR HOOK

Madaï Hook PE Line Shrink tube
Flexibly moving rear hook is effective for hard-to-hook red sea bream. Attach the jig with the split ring of your choice.



■ MADAI ASSIST REAR HOOK

Code	Quantity	SIZE & CODE No.
98-MR	2	S (MADAÏ-HOOK) 3
		033922
		M (MADAÏ-HOOK) 4
		033939
		L (MADAÏ-HOOK) 5
		033946

◆ Order unit: 6pcs
◆ 24pcs Per Case



LIGHT SYSTEM ASSIST

29-LS 30-LS



ASSIST HOOK FOR LIGHT JIGGING
LIGHT SYSTEM ASSIST

Light jigging hook PE Line Shrink tube
Combine the LIGHT JIGGING HOOK with a slender PE for a complete "sure-bite" assist for light jigging. PE available in 3cm, 4cm and 5cm lengths. Choose your length to suit the field conditions and jig size.

■LIGHT SYSTEM ASSIST

Product Length (PE Length)	SIZE	CODE No.
29-LS(3cm)	1/0	034646
	2/0	034653
	3/0	034660
30-LS(4cm)	1/0	034677
	2/0	034004
	3/0	034693

◆Order unit 6pcs ◆24pcs Per Case



Aiming for red sea bream (blue-backs, others.)

Madai assist Single / Rear Hook



MADAI ASSIST SINGLE HOOK

9 STRATEGY
3x3

MADAI ASSIST REAR HOOK

3 STRATEGY
3

*Total coverage in coastal waters!
Light jigging assist strategy.*

LIGHT JIGGING ASSIST

Ever wanted the same hook size with the assist just a little longer?
Or how about the same line length with just a little bigger hook?
Vary the assist line length and hook size to suit any kind of conditions or target!

The "Light Jigging Assist Hook System" from Shout!

Aiming for blue-back fish (red sea bream, others.)

Light System Assist

6 STRATEGY
2x3



SINGLE SPARK 321SS


SINGLE SPARK



Spark Hook PE Line

Assist hook for local waters using the thin-shaft, light weight Spark Hook. Line-up of hook sizes for a wide range of targets from red seabream to amberjack. Not as strong as Kudako or Double Barb, but thin shaft and light weight provide for higher hooking rate. Highly effective weapon when used with balanced tackle.


How to Set SINGLE SPARK



■ SINGLE SPARK

Code	J&M	SIZE & CODE No.
321SS	5	2 089488
	4	1 089495
	3	1/0 089501
	3	2/0 089518 089525
	2	4/0 089532 089549
	2	5/0

◆ Order unit 60pcs
◆ 12pcs Per Case




Makoto ONO's Law of Assist Strategy

The need for selection in accordance with the situation

Have you ever had this kind of experience while jigging? The guy who happens to be fishing on the boat next to you is making catches like crazy and blowing you away. You can have the same rod, reel, line, jig and even try to copy his jig method, but still not a bite. How can it be, when you're both doing the same thing? You've got to be able to choose the proper tackle to make the bill in jigging. If you can tell the difference between you and the guy next to you, then you're sure to have a big catch jigging. When choosing from various jigging tackle, the difference of a single piece of equipment can have a huge impact on your catch. The difference between the guy with the big catch and the guy who goes home empty-handed often lies in the choice of hook and jig.

your pieces of tackle closest to the fish. Just making a change in your assist hook can allow you to make catches you've never made before. I've seen this to be true in so many cases. It just goes to show how important and delicate the choice of assist hook is. In my opinion, making the proper choice of assist hook is the fastest shortcut to expanding the range of targets you can bring in.

The thinner the hook shaft, the less penetration resistance there is during hook-up. You pay the price for this, however, with a loss of strength. On the other hand, a thick and heavy hook is stronger, but you'll have a harder time getting a good hook-up. In the high-power world of jigging, choosing an overly thin hook in the name of penetration is a big mistake; you should never forget the risk of the hook stretching or bending. Your hook and jig combination are of course important, but you also have to keep in mind the balance of rod, reel and line you use to control that jig and hook. Without a good overall balance, weak elements of your tackle will be destroyed. The chart below represents hook weight, strength and degree of assist. Always take the conditions into consideration when choosing your assist hook setup.





SPARK ASSIST

Bring the slow pitch jerk into action!
Thin shaft, light weight and ultra penetration: SPARK HOOK Assists.

GAP SPARK 323GS


GAP SPARK



Spark Hook PE Line Press Ring
Staggered Spark Hook assist. Hook size line-up suited to various local-water targets such as blue-back fish, red seabream and rockfish. Take advantage of Spark Hook's light weight and ultra penetration characteristics for excellent hooking performance.

■ GAP SPARK

Code	quantity	SIZE & CODE No.					
		SIZE	2	1	1/0	2/0	3/0
323GS	2	Length of PE Line	1cm/2cm	1cm/2.5cm	2cm/3.5cm		
		CODE No.	073691	073607	073614	073621	073638
		SIZE	4/0	5/0	◆ Order unit 6pcs ◆ 12pcs Per Case		
		Length of PE line	2cm/4cm	2.5cm/4.5cm			
		CODE No.	073645	073652			



Staggered double Spark Hook assist





TWIN SPARK 318TS 319TS 320TS

TWIN SPARK

Spark PE Line Press Ring

Line-up of 1cm, 2cm and 3cm lengths plus seven different hook sizes for a variety of settings for slow pitch jerk and long fall jerk. Setting possibilities for all kinds of targets and fields. Split ring can be positioned to be used facing in or facing out. When used both at front and rear of the jig, select length so that hooks do not interfere with each other. Use longer sizes in the front when aiming for the bite on the upward jerk; use longer sizes in the rear to avoid entanglement in bottom waters. Use TWIN SPARK to create the ideal setting to suit your conditions.

TWIN SPARK

Code	長さ (cm)	数量	SIZE & CODE No.						
			2	1	1/0	2/0	3/0	4/0	5/0
318TS	1cm	2	069211	069228	069236	069242	069250	069266	069273
			069280	069297	069303	069310	069327	069334	069341
319TS	2cm	2	069358	069365	069372	069389	069396	069402	069419
			069358	069365	069372	069389	069396	069402	069419
320TS	3cm	2	069358	069365	069372	069389	069396	069402	069419
			069358	069365	069372	069389	069396	069402	069419

◆ Order unit 6pcs ◆ 12pcs Per Case

Double Spark Hook Assist

PE Line: 1cm

318TS

1cm

1/0

PE Line: 2cm

319TS

2cm

1/0

PE Line: 3cm


320TS

3cm

1/0

How to Set TWIN SPARK

Hook sizes 2, 1, 1/0, 2/0, 3/0, 4/0 & 5/0 available in each type.



HARD TWIN SPARK 325HT 326HT 327HT

HARD TWIN SPARK

Spark Hook / Ester Core PE Line / Press Ring

Line-up of 1cm, 2cm and 3cm lengths plus seven different hook sizes for a variety of settings for slow pitch jerk and long fall jerk. PE line processed with ester core for dramatically reduced hook entanglement on the jig. Split ring can be positioned to be used facing in or facing out. When used both at front and rear of the jig, select length so that hooks do not interfere with each other. Use longer sizes in the front when aiming for the bite on the upward jerk; use longer sizes in the rear to avoid entanglement in bottom waters. Use HARD TWIN SPARK to create the ideal setting to suit your conditions.

■HARD TWIN SPARK


Code	Length	Quantity	SIZE & CODE No						
325HT	1cm	2	2	1	1/0	2/0	3/0	4/0	5/0
			080278	080285	080292	080308	080315	080322	080339
326HT	2cm	2	2	1	1/0	2/0	3/0	4/0	5/0
			080346	080353	080360	080377	080384	080391	080407
327HT	3cm	2	2	1	1/0	2/0	3/0	4/0	5/0
			080414	080421	080438	080445	080452	080469	080476

◆Order unit 6pcs ◆12pcs Per Case

PE line with resilient ester core. Spark double hook assist.

PE Line: 1cm

325HT


PE Line: 2cm


326HT




PE Line: 3cm

327HT



■How to Set HARD TWIN SPARK

Hook sizes 2, 1, 1/0, 2/0, 3/0, 4/0 & 5/0 available in each type. Please see previous page for hook sizes.




DOUBLE BARB ASSIST 42-DA SUPER THRUST & SUPER HOLD

DOUBLE BARB ASSIST



Double Barb Hook PE Line Shrink Tube

This is the assist hook for adjacent sea with 'DOUBLE BARB HOOK'. Excellent hooking response and improved holding power of the hook have been brought to realization with double barb that penetration capability and lightweight have been pursued when hooking. The assist hook can easily be penetrated through the mouth of the target and has less rate of hook out.



DOUBLE BARB ASSIST

Code	Quantity	SIZE & CODE No.		
42-DA	3	1/0	2/0	
		015782	015799	
		3/0	4/0	5/0
		015805	015812	015829

◆Order unit 6pcs ◆24pcs Per Case




TWIN ASSIST 43-TA SUPER THRUST & SUPER HOLD

TWIN ASSIST DOUBLE BARB HOOK



Double Barb Hook PE Line Welded Ring Shrink Tube


This is the assist hook for adjacent sea equipped with 'DOUBLE BARB HOOK'. Excellent hooking response and improved holding power of the hook have been brought to realization with double barb that penetration capability and lightweight have been pursued when hooking. The assist hook can easily be penetrated through the mouth of the target and has minimum rate of hook out as the double hook supports each other when baiting.



TWIN ASSIST

Code	Quantity	SIZE & CODE No.		
43-TA	2	1/0		
		015836		
		2/0		
		015843		
		3/0		
		015850		

◆Order unit 6pcs ◆12pcs Per Case



POWERFUL JACO 08-PJ APPEAL & POWERFUL ASSIST

POWERFUL JACO



Kudako Hook PE Line Emboss Sheet

This hook is power-type assist 'JACO HOOK' for adjacent sea with excellent penetration. It is suitable for big target such as kingfish, which hide in the banks, and when you want to stop the movement of amberjack. The ability to appeal against target has already been proved with 'JACO HOOK'. Monster-corresponding 'KUDAKO HOOK' is used.

POWERFUL JACO

Code	Quantity	SIZE	CODE No.
08-PJ	3	1/0	086102
		2/0	086201
	3	3/0	086300
2	4/0	5/0	086409
		5/0	086508

◆ Order unit 6pcs ◆ 12pcs Per Case



POWERFUL JACO GLOW 10-PJ APPEAL & GLOW POWERFUL ASSIST

POWERFUL JACO GLOW



Kudako Hook PE Line Glow Rainbow Sheet

This hook is the glow version of power-type JACO HOOK equipped with Kudako hook. It can produce an effect on the fishing result in the deep water area and in low light intensity. You will get many bites on the hook with fast approach at kingfish-targeting point.

POWERFUL JACO GLOW

Code	Quantity	SIZE	CODE No.
3	1/0	2/0	118100
		2/0	118209
3	3/0		118308
2	4/0	5/0	118407
		5/0	118506

◆ Order unit 6pcs ◆ 12pcs Per Case



POWERFUL ASSIST 25-PA POWER FOR BIG ONE

POWERFUL ASSIST

POWER ASSIST for huge target!
Super-tenacity materials from hook to line are used



Kudako Hook PE Line Welded Ring Shrink Tube
 This is the power assist hook equipped with 'KUDAKO HOOK'. It has high strength and moderate tension as the PE line is braided four times. It is suitable for one-assist jigging that the jig is linked with the sprit ring.

■POWERFUL ASSIST

Code	quantity	SIZE	Welded Ring Strength	
25-PA	3	1/0(221LB)	2/0(368LB)	
		CODE No. 119107	119206	
		CODE No. 119305		
25-PA	2	4/0(368LB)	5/0(442LB)	
		CODE No. 119404	119503	
		CODE No. 119602		
		CODE No. 119701		
		CODE No. 119701		



◆Order unit 6pcs ◆12pcs Per Case



SABER ASSIST 315SS 316SM 317SL

SABER ASSIST

SABER HOOK Nylon Coated Wire Press Ring Split Ring

Features SABER HOOK for emphasis on largehead hairtail jigging. This is no ordinary ayu hook; this baked, high-carbon steel hook features an incisive tip, durability and strength. Nylon coated wire provides suitable firmness and knot is protected with night glow shrink tube, which also serves as a bite marker. Line-up of three types and three sizes to match jig size and level of largehead hairtail activity. Suitable for all kinds of largehead hairtail jigging.

■ SABER ASSIST

Code	TYPE (SHANK W/LENGTH)	Wire Thickness	Quantity	SIZE & CODE No.		
				S	M	L
315SS	Short Type (Even) Wire Length 2cm / 2cm	#45x37	2	067545	067552	067560
				S	M	L
316SM	Medium Type (Staggered) Wire Length 2cm / 4cm	#45x37	2	067575	067583	067590
				S	M	L
317SL	Long Type (Staggered) Wire Length 3cm / 5cm	#45x37	2	067608	067613	067620
				S	M	L

◆ Order unit 6pcs ◆ 12pcs Per Case

Short Type (Even)
Wire Length 2cm / 2cm



Hook size shown in photo is S.

Medium Type (Staggered)
Wire Length 2cm / 4cm




Hook size shown in photo is S.

Long Type (Staggered)
Wire Length 3cm / 5cm



Hook size shown in photo is S.

Each type available in size S, M & L hooks.




ASSIST PE LINE 89-AP ASSIST HOOK LINE

This is the self-made PE line for the assist hook. The PE line does not have strength deterioration by ultraviolet light like aramid fibers which is typified by Kevlar. Since it is braided tubularly, the loop can be made using needle by taking out the inner core. By comparing with Kevlar, it is softer and more elastic even the thickness is the same.

■ ASSIST PE LINE

品番	長さ	Strength(LB) & CODE No.						
89-AP	3m	50LB	80LB	100LB	120LB	150LB	200LB	300LB
		027143	040203	027150	027167	027174	027181	027199

◆ Order unit 6pcs ◆ 12pcs Per Case



IJIKA METAL ASSIST 308IM

IJIKA METAL ASSIST




FULL METAL MATERIAL

Ijika Hook Metal Shaft
Welded Ring Split Ring

Assist hook for sharp toothed fish which can bite through Kevlar and PE assists. Long shaft power swivel stands up to even the strongest bites. Excellent durability with replaceable hook.

For largehead halibut, Japanese Spanish mackerel, striped bonito, etc.




IJIKa METAL ASSIST

Code	Quantity	SIZE
308IM	2	1/0
		2/0
		3/0
		4/0
		5/0
		6/0

◆Order unit 6pcs ◆12pcs Per Case

Full metal for sharp toothed targets!
Unbreakable assists are an absolute must!



COMBI RING

COMBI RING 82-CR SUPER STRONG RINGS





This ring is a combination of the strength-boasted press ring and the forged powerful ring.

COMBI RING

Code	Quantity	Split ring index	Defination	Strength
82-CR	8	4	(3)	(29LB)
		5	(4)	(44LB)
		6	(5)	(74LB)
		7	(6)	(91LB)
		8	(7)	(105LB)
		9	(8)	(121LB)

◆Order unit 6pcs ◆36pcs Per Case
※Strength is average value.



PRESS RING 74-PR SUPER STRONG RINGS

PRESS RING




This solid ring has no seam joints and is suitable for jigging. The stainless steel, SUS304, is pressed and the surface is as smooth as welded ring by polishing it for long time. This is the strength-boasted tough ring.

■ PRESS RING

Code	Quantity	Inner Diameter (mm)	Deformation Strength
74-PR	10	4	(59LB)
		CODE No.	049834
		5	(155LB)
		CODE No.	025378
		6	(320LB)
9	8	CODE No.	025385
		7	(440LB)
		8	(770LB)
8	6	CODE No.	025408

◆Order unit 6pcs ◆36pcs Per Case
 ※Strength is average value.



HEAVY PRESS RING 410HP SUPER STRONG RINGS

HEAVY PRESS RING




Reinforced press ring for reduced stress in the leader and improved coupling strength. Thick SUS304 steel press processing on original inner diameter resistance to extended exposure to friction and superior smoothness. This ring is a must to bring in really big game.

■ HEAVY PRESS RING

Code	Quantity	Inner Diameter (mm)	Deformation Strength
410HP	6	7	5
		CODE No.	055740
		8	R
5	5	CODE No.	055757
		7	7
		CODE No.	055764

◆Order unit 6pcs ◆36pcs Per Case
 ※Deformation strength in excess of 800lbs for all sizes.
 (Exceeds measurable range.)



SPLIT RING 75-SR SUPER STRONG RINGS

SPLIT RING




The forged powerful split ring is suitable for big fish. Stainless steel, SUS304, is used.

■ SPLIT RING

Code	Quantity	SIZE (Deformation Strength)	
75-SR	20	3	(29LB)
		CODE No.	026072
		4	(44LB)
		CODE No.	026099
		5	(74LB)
18	8	CODE No.	026096
		6	(91LB)
		CODE No.	026702
15	6	CODE No.	026710

◆Order unit 6pcs ◆36pcs Per Case
 ※Deformation strength figures represent average values.



SUPER STRONG RINGS

HEAVY SPLIT RING 411HS

HEAVY SPLIT RING




Flat cast processed heavy duty split ring. Made from SUS304WPB stainless steel.

■ HEAVY SPLIT RING

Code	Quantity	SIZE (Deformation Strength)	
411HS	8	7	(116LB)
		CODE No.	065350
		8	(187LB)
		CODE No.	065367

◆Order unit 6pcs ◆36pcs Per Case
 ※Deformation strength figures represent average values.



BB SWIVEL

Shout! Concept Ball Bearing Swivel
for Offshore Fishing

Shout! high-strength, high-revolution ball bearing swivel for reliability you can believe in!



POWERFUL BB SWIVEL has overcome the weaknesses previously associated with ball bearing swivels. Internal construction of the three-part bearing portion has been thoroughly improved, and added strength provided by fuller core material. Features highly spherical SUS304H ball bearings to maintain superior rotation performance even under the tension of the fight with a big catch. Push your technique further while minimizing stress on your line. Less stress to yourself as well with fewer line twisting problems even with frequent casting. Line-up includes COMBI BB SWIVEL with split ring for connecting lures and ASSIST BB SWIVEL with press rings for assist hooks.

POWERFUL BB SWIVEL 412PB

POWERFUL BB SWIVEL


High strength and superior rotation! Ball Bearing Swivel

POWERFUL BB SWIVEL

Code	SIZE	CODE No.	Strength	Split Ring	Press Ring
412PB	0	071900	99LB (45kg)	3	4
	1	071917	103LB (47kg)	3	4
	2	071924	127LB (59kg)	3	4
	3	071931	160LB (73kg)	4	4
	4	071948	266LB (121kg)	5	3
	5	071955	288LB (131kg)	6	3
	6	071962	412LB (187kg)	6	2

◆Order unit 6pcs ◆24pcs Per Case
*Strength is average value.

POWERFUL BB SWIVEL



COMBI BB SWIVEL 413CB

COMBI BB SWIVEL


POWERFUL BB SWIVEL plus Split Ring

COMBI BB SWIVEL

Code	SIZE	CODE No.	Strength	Split Ring	Press Ring
413CB	0	071979	29LB (13.1kg)	3	99LB 4
	1	071986	29LB (13.1kg)	3	103LB 4
	2	071993	44LB (20.0kg)	4	127LB 4
	3	072006	74LB (33.6kg)	5	160LB 3
	4	072013	74LB (33.6kg)	5	266LB 3
	5	072020	91LB (41.3kg)	6	288LB 2
	6	072037	118LB (52.6kg)	H7	412LB 2

◆Order unit 6pcs ◆24pcs Per Case
*Strength is split ring deformation strength (average.)

COMBI BB SWIVEL



ASSIST BB SWIVEL 414AB

ASSIST BB SWIVEL


POWERFUL BB SWIVEL plus Split Ring plus PressRing

ASSIST BB SWIVEL

Code	SIZE	CODE No.	Strength	Split Ring	Press Ring
414AB	0	072181	29LB (13.1kg)	3	99LB 4
	1	072198	29LB (13.1kg)	3	103LB 4
	2	072204	44LB (20.0kg)	4	127LB 4
	3	072211	74LB (33.6kg)	5	160LB 3
	4	072228	74LB (33.6kg)	5	266LB 3
	5	072235	91LB (41.3kg)	6	288LB 2
	6	072242	118LB (52.6kg)	H7	412LB 2

◆Order unit 6pcs ◆24pcs Per Case
*Strength is split ring deformation strength (average.)

ASSIST BB SWIVEL



Shout! SYSTEM RIG



Overcome the impregnable situations System rigs from Shout! that can establish the tactics

Figure out the best answer from various complex elements such as selection of the assist hook and the activity depending on the target fish and the jerking method, and current and water depth.

The selection of jigs and assists from Shout! can change the situation instantly and they have the variation and the quality.

Ultra-light Multi-type Game from the Shore.

MAMEDANGAN 5g (P) & MAMEJACO (L)

Rig for ultra-light multi-type game from the shore such as rockfish like black rockfish and marbled rockfish, horse mackerel, trevally and barracuda, Jaco for extra appeal and greater hooking rate.



Shore jigging aiming for blue-back fish and sea bass.

SIVER 60g (MI) & CAST SPARK (3/0)

Setting for shore casting aiming for blue-backs.

Use smaller sized jig with conservatively distanced PE line to never miss a bite, whether the timing is on the jerk or on the fall.



Target for small migratory fish from shore

DANGAN 40g (BP) & LIGHT GAME ASSIST (LL)

Perfect rig to target for small migratory fish from shore. The tailing problem can be solved by taking the rear hook out and it can create the violent and sharp action.

Light Jigging

LIGHTEN 70g (BP) & LIGHT SYSTEM ASSIST 4cm (1/0)

The recommended rig for light jigging aiming for young blue-back fish such as young Japanese amberjack, young greater amberjack and mackerel. Light-weight and easy for the fish to suck in. Light system assist is the best match for jigging with light tackle.



Adjacent Sea Jigging (1)

STAY 80g (C) & JACO HOOK (LL)

The rig is recommended for blue-back fish up to 2Kg with adjacent sea jigging. Light JACO HOOK with good suction has high rate of hooking and excellent appeal ability.



Aiming for Japanese Amberjack & Yellowtail Amberjack

WIDTH 140g (SH) & DOUBLE BARB ASSIST (3/0)

Will you attack with the slide dart using the one-crank jerk? Or stay action using a combination jerk? Now you can use both techniques in while hunting for Japanese amberjack and yellowtail amberjack.



Adjacent Sea Jigging (2)

STAY 130g (BP) & TWIN ASSIST (2/0)

Basic rig for coastal water jigging. Twin assist for high hooking rate and minimal escape following hook-up.



Largehead Hairtail Jigging


LIGHTEN 120g (GG) & SABER ASSIST (MIDDLE)

SABER ASSIST mounted in front and rear. Delivers excellent hooking performance for bites on the fall needed for largehead hairtail jigging.



Slow Pitch Jerk and Long Fall

Setting aiming for blue-back fish, rockfish, etc with slow pitch jerk or long fall jerk. Double hooks of same size and same length, mounted front and rear, are basic standard. If your emphasis is on the reel-in, set the front longer to maintain front-to-rear balance. Or if you make more use of the fall, use the same size such that front and rear do not interfere with each other. Setting double hooks facing each other enables reduced entanglement on the bottom, and hooking to make sure fewer bites get away. For blue-backs, setting double hooks together facing the same direction allows both hooks to connect with the fish at the same point, complementing each other and allowing for bigger catches than would be possible with a single hook.




STROBO(ZG) & SPARK 1/0

Attack with the Fast Fall
Setting with STROBE and SPARK

Attack with the Slow Fall Setting with FLASH and SPARK

FLASH(RG) & SPARK 1/0



Target for Kingfish

SLIDE ACTOR 200g (B) & DOUBLE BARB ASSIST (5/0)

This rig is suitable for targeting kingfish. One assist is effective for sideways-movement of slide dart action that the sideways movement excites kingfish. It can be used as power assist in the monster-targeting field.

For Big Amberjack for Expedition

STAY 300g (RG) & POWER ASSIST (7/0)

This rig is recommended for expedition jigging to target for amberjack. Since the combination of Stay 300g and Power assist 7/0 does not hold the jig, the rig can target around deep water area without any stress.



CURVE POINT TREBLE

Now Available in Three Series!

CURVE POINT TREBLE

Shout! CONCEPT SALT GAME TREBLE HOOK

Absolute dynamic superiority:
CURVE POINT!



This treble is what Shout! Is all about, covering every kind of salt water game from light game to casting power game.

SHOUT! CONCEPT PRODUCT

Every facet of ideal hooking you need out in the field, all brought together in one treble, for the salt water game you've been dreaming of. . . The greatest feature of Shout!'s treble is the "curve point." The inward curving shape provides excellent hooking penetration to connect your catch smoothly. When the hook has sunk in to it's base, the flat-cast gape and tough wire keep a firm hold on your target so it doesn't get away. Features anti-corrosive ARS (Anti-rust System) surface treatment for superior durability. Also effective to reduce damage from plug hooks.



CURVE POINT TREBLE11 211CS

Excellent piercing performance. Suitable for light game to shore game: seabass, olive flounder, small blue-back fish, etc.

■ CURVE POINT TREBLE 11

Code	Color	3/2 (4.7)	5 (9)	4 (8)	2 (8)	1 (7)	1/0 (6)	2/0 (5)	
211CS	Silver	Weight 0.7g	0.8g	0.9g	1.4g	1.9g	2.5g	3.0g	
		CODE No.	079579	079586	079593	079609	079616	079623	079630

◆Order unit 3pcs ◆3pcs Per Case ※Weight is average value.

LIGHT WIRE MODEL

CURVE POINT TREBLE 11

Shout! CONCEPT SALT GAME TREBLE HOOK

CURVE POINT TREBLE 11



Line-up of three type in varying thickness with curved point for a new dimension in hooking performance.

- 11 Light Type: thin shaft to cover light game in coastal waters to shore game.
- 21 Medium Type: medium shaft standard treble.
- 31 Heavy Type: thick shaft for big fish targets.

11

LIGHT WIRE MODEL

TARGET

Seabass, Olive Flounder, Small Blue-back Fish. . .



21

MEDIUM WIRE MODEL

TARGET

Blackfin Sea Bass, Mahi-mahi, Amberjack. . .



31

HEAVY WIRE MODEL

TARGET

Yellowtail Amberjack, Tuna, Giant Trevally. . .



1/0



2/0





CURVE POINT TREBLE21 221CS

■ CURVE POINT TREBLE21


Code	Color	Qty/Case	4(9)	2(7)	1(7)	1/0(6)	2/0(5)	3/0(6)	4/0(5)
221CS	Silver	Weight	1.1g	1.7g	2.4g	3.3g	4.5g	5.6g	7.6g
		CODE No.	079647	079654	079661	079678	079685	079692	079708

◆ Order unit 3pcs ◆ 3pcs Per Case #Weight is average value.

CURVE POINT TREBLE 21 Medium shaft with wide range of suitability: blackfin sea bass, mahi-mahi, amberjack... Basic treble for coastal waters and shore.

MEDIUM WIRE MODEL

CURVE POINT TREBLE21



CURVE POINT TREBLE31 231CS

Heavy wire treble for big game: yellowtail amberjack, tuna, giant trevally, etc.

■ CURVE POINT TREBLE31


Code	Color	Qty/Case	1/0(5)	2/0(5)	3/0(6)	4/0(5)	5/0(4)	6/0(3)	7/0(3)
231CS	Silver	Weight	4.1g	5.1g	6.4g	8.6g	9.7g	13.0g	16.2g
		CODE No.	071542	071559	071566	071573	071580	071597	071603

◆ Order unit 3pcs ◆ 3pcs Per Case #Weight is average value.

CURVE POINT TREBLE 31

CURVE POINT TREBLE31

HEAVY WIRE MODEL



LIGHT QUICK 204LQ (Silver) 205LQ (Gold) 206LQ (Black)

LIGHT QUICK

Ultimate design to win the fight with light game.
Easy for fish to bite with ideal hooking to keep your catch from getting away.



Designed for unsurpassed penetration taking advantage of ultra-thin PE line for light jigging and shore jigging. Light and easy for fish to suck in for improved hooking rate. Inward curved hook point resistant to unhooking. This all-around hook combines all the elements you need to cover light targets in the 20 - 60g range.



■ LIGHT QUICK

Code	Color	Size (qty)	3 (12)	1 (10)	1/0 (9)	2/0 (8)
204LQ	Silver	CODE No.	066906	066913	066920	066937
205LQ	Gold	CODE No.	066944	066951	066968	066975
206LQ	Black	CODE No.	066982	066999	067002	067019

◆ Order unit 6pcs ◆ 24pcs Per Case

New possibilities in hook performance with attention to every detail.
Ultra-attack hook for coastal jigging and shore jigging.

UP EYE RING



Up-eye ring ensuring gape space for compatibility with a variety of hook knots.

CURVE HOOK POINT

Curved point for improved hooking performance and reduced entanglement on the bottom.

LIGHT WEIGHT SLIM SHANK

Combined penetration performance and easy for fish to bite: thin shaft and light weight.



SPARK 201SP(Silver) 202SP(Gold) 203SP(Black)

SPARK

Hook the target with mere body contact.
This hook brings out the pleasure of the long fall technique.



Developed in the pursuit of unsurpassed lightness and penetration for light jigging techniques with ultra-thin PE line such as the long fall jerk and slow pitch jerk. Performance to hook your target just through body contact during slow action or on the fall. However, this ultra thin hook should not be used for the aggressive fight. Get the most out of this hook with a balance of drag tension and choice of





■スパーク

Code	Color	Size (Qty)	2 (12)	1 (12)	1/0 (9)	2/0 (6)	3/0 (5)	4/0 (4)	5/0 (3)
201SP	Silver	CODE No.	065473	065490	065497	065503	065510	065527	065534
202SP	Gold	CODE No.	065541	065558	065565	065572	065589	065596	065602
203SP	Black	CODE No.	065619	065626	065633	065640	065657	065664	065671

◆Order unit 8pcs ◆24pcs Per Case

Minimal wire diameter for ideal lightness and piercing performance.
Economical hook form absorbs the target's counterattack.



SUPER HOOKING NEW LIGHT JIGGING

LIGHT JIGGING HOOK 91-LJ (Silver) 92-LJ (Gold) 93-LJ (Black)

LIGHT JIGGING HOOK

Combine the best hooking ability and the excellent strength
Design hook for light jigging.



This model is specialized in the light jigging that the lightness and the ability to penetrate, and strength against the stretch of the shape as a jigging hook have been improved.

The requirement of the penetration ability as a light jigging hook is not only the sharpness of the tip of the hook, but it is hugely related to thickness of the axis as well. If the axis is made short and thin, it will become light hook with good penetration, but at the same time, the strength against the stretch of the hook decreases. The light jigging hook is the hook that the weakness has been covered. For the bent curve from gape part of the hook, closer the acute angle part to the axis improves the strength as a hook. This is why the strength of the narrow gape is higher compare to the wide gape, if the hook has the same axis. The shape of the light jigging hook can receive the burden from the target as closer to axis as possible, which is usually on the gape part of the hook. Therefore it has higher strength against the stretch compare to lighter hook with the same axis.

When you capture the jigging targets that have high ability of swimming with thick and strong hook, it can be said that the priority is on the strength instead of giving up the possibility of hooking. Light jigging hook is the hook that the priority is on the possibility of the hooking instead of the strength. That is why it chooses the user. You just need to keep hooking by visualizing the biggest target around the hunting area. Then this is the chance to show your skills. You cannot try too hard during the battle. If they step back then you step back as well and if they drop their guard then all you have to do is to lift up. Only the anglers, who can maximize the potential of the hook, can master using the hook.

■ LIGHT JIGGING HOOK

Code	Color	Size (qty)	1/0 (14)	2/0 (10)	3/0 (7)
91-LJ	Silver	CODE No.	D27211	D27228	D27235
92-LJ	Gold	CODE No.	D27242	D27259	D27266
93-LJ	Black	CODE No.	D27273	D27280	D27287

◆ Order unit 6pcs ◆ 12pcs Per Case



Possibility of light jigging can be changed!

The probability from biting to landing increases enormous

JUST ANGLE UP EYE

Up eye that the use of light assist line is assumed (5 degrees)

REGULAR TAPER HOOK POINT

Regular taper hook point that the strength of the hook point has been improved

MICRO BARB



Micro barb to decrease the resistant when hooking

ACUTE ANGLE BENT

Acute bent curve to move the burden, which is on the gape part, more to the axis

FINE WIRE

Shaft diameter that the thinness and the lightness have been pursued to its maximum



IJKA 49-IJ (銀) 50-IJ (金) 51-IJ (黒)

IJKA

Excellent hooking performance that the long shank and the straight point produce
 Ultralight fine wire hook 'IJKA'



What is the role of (shank) axis in a hook?

The first role is 'to penetrate the hook'. This is obvious but a hook without axis cannot penetrate. The axis of the hook is there to define the penetration direction of the hook point when hooking. In terms of hooking performance of a hook, shorter the axis makes the direction of the hooking point regarding the penetration more important, whereas longer the axis makes it less important. Therefore, if the axis is longer and the hooking point is pointed towards roughly to the target, then it can penetrate. However, hook with long axis does not mean it is good. This is because longer the axis makes it heavier. For the jigging that is not the bite-induced fishing on the hook itself, the hook should be as light as possible. The second role is to protect the shock leader when fighting against sharp-toothed fish. When the hook is stuck around the mouth and if the axis is longer, it can protect the line breakage as the distance between the teeth and shock leader is far apart.

'IJKA' was developed aiming to make light and good penetration hook without making the axis too long unnecessarily. The straight hooking point differs from the hook with curve point that it can penetrate deep as it goes straight through the target. Since the shape can transmit the hooking power to the hook well, it can hook deep into the fish with hard mouth and in the deep sea area.

■ IJKA

Code	Color	Size (qty)	1/0 (15)	2/0 (12)	3/0 (10)	4/0 (8)	5/0 (4)	6/0 (3)
49-IJ	Silver	CODE No.	020366	020373	020380	020397	020403	020410
50-IJ	Gold	CODE No.	020427	020434	020441	020459	020465	020472
51-IJ	Black	CODE No.	020489	020496	020502	020519	020525	020533

◆Order unit 6pcs ◆24pcs Per Case

Best suited potential for targeting sharp-toothed fish, not only for blue-back

JUST SIZE UP EYE

The size of the eye is not too big or not too small even assist line is used, and the angle is superb (5 degrees)

LONG TAPER STRAIGHT HOOK POINT



Deep hooking performance by the long taper and the straight point

LONG SHANK

Long shank that the improvement of the hooking performance and the hook weight were considered

FINE WIRE

Thin axis and light axis line to improve the hooking response




DOUBLE BARB 33-DB(銀) 34-DB(金) 35-DB(黒)

DOUBLE BARB

Combine the penetration performance and the holding force

The answer is the double barb



Weight saving, penetration performance, adjacent sea jigging high-performance hook

Double barb Double taper hook point Hammer head press

It was developed with use in the sea off Japan in mind and with advice from a captain of jigging boat. This is the assist dedicated hook that the penetration performance and the light saving when hooking were pursued. The double barb, which was made smaller, decreases the resistance when penetrated and provides the holding force more than the single barb. In order to make it lighter, the hammer head press is used instead of the (ringed) ring. This is the special hook for adjacent sea that everything from the materials to the shape was carefully considered.

■DOUBLE BARB

Code	Color	Size (qty)	1/0(5)	2/0(4)	3/0(4)	4/0(4)	5/0(3)
33-DB	Silver	CODE No.	011852	011889	011878	011863	011890
34-DB	Gold	CODE No.	011906	011912	011920	011937	011944
35-DB	Black	CODE No.	011951	011958	011975	011992	011999

◆Order unit 6pcs ◆24pcs Per Case

Excellent penetration and decreased hook out!
The hook changes the adjacent sea jigging!

HAMMER HEAD PRESS

Hammer head press that the light weight and the holding force of the assist line were considered

DOUBLE TAPER HOOK POINT


Obvious difference in the penetration performance!
Double taper hook point

DOUBLE BARB

Double barb that combines excellent penetration performance and holding force

SPECIAL SHAPE & WIRE

Wire diameter and unique shape for adjacent sea



KUDAKO 04-KH(Silver) 05-KH(Gold) 06-KH(Black)

Bring the fish in when they bite, and never miss a catch!
The ultimate level of performance to push back the boundaries of jigging!

KUDAKO

From big target in adjacent sea to expedition abroad
Representative power hook, 'KUDAKO'

Nuwa Island, Kudako rapids. The most powerful hook, 'KUDAKO', to capture the monster



'KUDAKO' was developed to hook and capture big Japanese amberjack, amberjack and kingfish. Light and strong high-carbon steel is used for material. The curve point eliminates the bottom hooking and body hooking and ensures the hooking to the mouth. The long taper hook point can perform the weighted movement from the start of the penetration to the gape without any stress, and the wide holding gape is to keep the target. Up eye (bent-outward ring) is used which is the main characteristic of KUDAKO HOOK that its usage as assist hook with thick and tense line was considered. It also provides great balance by setting the sprit ring to the rear eye.



The Kudako Shallows off the island Nuwa-jima, a hotbed for giant yellowtail. All Japan's great jiggers come here to try their skills.



BIG UP EYE
Big up eye that the hook point angle was considered

LONG TAPER HOOK POINT
Long taper hook point that provides excellent hooking response

BEST BALANCE GAPE & BARB

Best balance between the holding gape and the barb

POWER SHANK & STRONG WIRE


Forged strong axis that can tolerate against the monster's pulling power



■KUDAKO

Code	Color	Size (qty)	1/0(6)	2/0(6)	3/0(5)	4/0(4)	5/0(3)	6/0(2)	7/0(2)	8/0(2)	9/0(2)
04-KH	Silver	CODE No.	087109	087208	087307	087408	087506	087604	087703	089976	089983
05-KH	Gold	CODE No.	088106	088205	088304	088403	088502	088601	088700		
06-KH	Black	CODE No.	089102	089202	089301	089400	089509	089608	089707		

◆Order unit 6pcs ◆12pcs Per Case



POWER HOOK WITH RING
RINGED KUDAKO 207RK (Silver)

RINGED KUDAKO

KUDAKO hook equipped with press ring.
For use with casting plugs.



The unsurpassed performance of KUDAKO equipped with ring. Models 5/0 and smaller equipped with welded ring; Models 6/0 and larger equipped with press ring. Plug connection via split ring allows for flexible hook movement and improved hooking rate.

Equipped with Plug-compatible Ring

■ RINGED KUDAKO

Code	Color	Size (mm)	1/0(4)	2/0(4)	3/0(4)	4/0(4)	5/0(3)	6/0(2)	7/0(2)	8/0(2)	9/0(2)
207RK	Silver	Weight	1.3g	1.8g	2.5g	2.8g	4.1g	6.4g	8.6g	9.7g	13.0g
		CODE No.	077827	077834	077841	077858	077865	077872	077889	077896	077902

◆ Order unit 6pcs ◆ 12pcs Per Case ※ Weight is average value.



SABER HOOK

Superior penetration, strength and durability.
Specially designed hook for largehead hairtail jigging.





Specially designed SABER HOOK for largehead hairtail jigging.

This is no ordinary ayu hook; this baked, high-carbon steel hook features an incisive tip, durability and strength. Stronger resilience compared with conventional iron hooks to easily penetrate the largehead hairtail's tough jaw. Line-up of three sizes to suit jig size and fish activity. Suitable for all conditions.

■ SABER HOOK

Code	Color	Size (Qty)	S(14)	M(12)	L(10)
208SH	Silver	CODE No.	078213	078220	078237

◆ Order unit 6pcs ◆ 24pcs Per Case



2014 Shout! FISHERMAN'S TOOLS
FOR JIGGING DREAMER

Shout! RUBBER JIG
FOR DREAMER

Rubber Jig



The Jigging is realized!

SLIDE ANSWER, SLIDE ANSWER HEAD, SLIDE SPARE HOOK
SILICONE SKIRT, POWERFUL SLIDE SPARE HOOK, SPARE SKIRT, SPARE NECKTIE, SPARE RUBBER
POWERFUL SPARE HOOK, ANSWER SILICONE TUBE
ANSWER, SPARE HOOK CHINU, SPARE HOOK ISEAMA

The classic ANSWER tai-raba with its original S-shaped action and overwhelming track record has teamed up with the SLIDE SYSTEM and KEIMURA HOOK to provide even newer possibilities. The next step in tai-raba evolution: SLIDE ANSWER.

ANSWER is reborn!

SLIDE

ANSWER

Rubber Tail Jig for Bream!

Innovation for an improved catch!

SLIDE ANSWER

45g (151SL) · 60g (152SL) · 75g (153SL) · 90g (154SL): There are six colors each.

New concept to drive red seabream mad!

NEW CONCEPT



ACTION-S

S-shaped Action

This is the S-shaped action which has afforded ANSWER its impressive track record. Slow reel-in from the sea bottom subtly invites the target.

SLIDE SYSTEM

SLIDE SYSTEM


When the red seabream bites, the hook and skirt disengage smoothly from the head for a natural feeling bite. Dramatic reduction in bites that get away, while still allowing you to feel the bite directly.



KEIMURA HOOK

KEIMURA HOOK

Penetrating CHINU HOOK with KEIMURA UV reflective treatment to shine subtly even dark waters and get the target in the mood to feed.





SLIDE ANSWER 151SL(45g) 152SL(60g) 153SL(75g) 154SL(90g)

New functionality with ANSWER's proven "S-shaped action." Features SLIDE SYSTEM for higher hooking rate with dramatically reduced escaped bites. KEIMURA HOOK appeals to red seabream's UV response.

ANSWER, with its original S-shaped action, boasts a phenomenal track record. The wavy S-shaped action drives the red seabream mad. This new innovation incorporates a free-moving head, which disengages upon hook-up and reel-in. This improvement to the lead head, which previously limited hooking potential, creates a dramatically improved hooking rate and reduced escaped bites.

Addition of the KEIMURA HOOK adds to the appeal of the necktie and skirt with KEIMURA reflection. These innovations create a new standard for tai-rabas.

■ SLIDE ANSWER

Code	Weights	COLOR & CODE No.					
151SL	45g	(PG)	(RG)	(RS)	(OS)	(GO)	(RO)
		079210	079227	079234	079241	079258	079265
152SL	60g	(PG)	(RG)	(RS)	(OS)	(GO)	(RO)
		079272	079289	079296	079303	079319	079326
153SL	75g	(PG)	(RG)	(RS)	(OS)	(GO)	(RO)
		079333	079340	079357	079364	079371	079388
154SL	90g	(PG)	(RG)	(RS)	(OS)	(GO)	(RO)
		079395	079401	079418	079420	079432	079449

◆ Minimum order qty: 3 #Set with slide spare hook: M for 40g & 60g, L for 75g & 90g.





SLIDE ANSWER Characteristics

S-shaped Action
This is the S-shaped action which has afforded ANSWER its impressive track record. Slow reel-in from the sea bottom subtly invites the target.

SLIDE SYSTEM
When the red seabream bites, the hook and skirt disengage smoothly from the head for a natural feeling bite. Dramatic reduction in bites that get away, while still allowing you to feel the bite directly.



HEAD SLIDE SYSTEM
Head Disengagement

KEIMURA HOOK
Penetrating CHINU HOOK with KEIMURA UV reflective treatment to shine subtly even dark waters and get the target in the mood to feed.



Drive the red seabream's instincts mad!

SLIDE ANSWER
Deliver the ultimate!





SLIDE ANSWER HEAD 125AH 126AH 127AH 128AH

SLIDE ANSWER HEAD

SLIDE ANSWER Replacement Head

SLIDE ANSWER's free-moving head provides astounding results. Original S-shaped action drives red seabream mad. Change the head to suit conditions on the boat or to make you own original tai-rabas.

SLIDE ANSWER HEAD

Code	Weight	COLOR & CODE No									
125AH	45g	(PG)	(RG)	(RS)	(OS)	(GO)	(RO)	(GG)	(KG)	(CO)	
		081916	081923	081930	081947	081954	081961	081978	081985	081992	
126AH	60g	(PG)	(RG)	(RS)	(OS)	(GO)	(RO)	(GG)	(KG)	(CO)	
		082081	082098	082104	082111	082128	082135	082142	082159	082166	
127AH	75g	(PG)	(RG)	(RS)	(OS)	(GO)	(RO)	(GG)	(KG)	(CO)	
		082173	082180	082197	082203	082210	082227	082234	082241	082258	
128AH	90g	(PG)	(RG)	(RS)	(OS)	(GO)	(RO)	(GG)	(KG)	(CO)	
		082265	082272	082289	082296	082302	082319	082326	082333	082340	

◆ Minimum order qty: 3

Weight

45g



60g



75g




90g




Color

スライドアンサーヘッドのみの特別カラー



(PG)



(RG)



(RS)



(OS)



GLOW (GO)



GLOW (RO)



GLOW (GG)



GLOW (KG)



GLOW (CO)

SLIDE SPARE HOOK 324SH

SLIDE SPARE HOOK



SLIDE ANSWER Replacement Hook

KEIMURA CHINU HOOK

KEIMURA CHINU HOOK / PE Line / Shrink Tube
Spare replacement hooks for SLIDE ANSWER. Penetrating CHINU HOOK with KEIMURA UV reflective treatment to shine subtly even dark waters and get the target in the mood to feed.

SLIDE SPARE HOOK

Code	quantity	Size (Hook #) & CODE No		
324SH	49ET	S(5)	M(6)	L(7)
		0797316	0797322	0797339


PE Line: 50lb

◆ Minimum order qty: B ◆ Qty per case: 12

KEIMURA HOOK

KEIMURA HOOK

Penetrating CHINU HOOK with KEIMURA UV reflective treatment to shine subtly even dark waters and get the target in the mood to feed.





SILICONE SKIRT 422SS

SILICONE SKIRT

SLIDE ANSWER Replacement Skirt

Necktie uses extremely thin transparent material for pronounced action even on the slow retrieve. Skirt uses colorful fine rubber for good movement to entice the target, even in light currents.

■ SILICONE SKIRT

Code	quantity	Color & CODE No.
422SS	2	(RY)
		079552 (RO)
		079549 (OY)
		079555


(Rubber tail color: orange.)

◆ Minimum order qty: 6 ◆ Qty per case: 6



SILICONE SKIRT ON SLIDE ANSWER

※SLIDE ANSWER with silicone skirt set in place.



※Orange flake rubber tail.

422SS Orange Yellow (OY)

Fine rubber color: orange-yellow.
※Also available in red yellow and red-orange.



POWERFUL SLIDE SPARE HOOK 328PS

POWERFUL SLIDE SPARE HOOK

SLIDE ANSWER Replacement Hook KEIMURA Red Seabream HOOK

KEIMURA Red Seabream HOOK / PE Line / Shrink Tube

KEIMURA HOOK

KEIMURA HOOK


Penetrating CHINU HOOK with KEIMURA UV reflective treatment to shine subtly even dark waters and get the target in the mood to feed.

■ POWERFUL SLIDE SPARE HOOK<KEIMURA Red Seabream HOOK>

Code	quantity	Size (hook #) & CODE No.
328PS	4SET	S(13) M(14) L(15)
		073959 073966 073973

PE Line: S 50lb./M/L 100LB


◆ Minimum order qty: 6 ◆ Qty per case: 12





ANSWER

Rubber Tail Jig for Bream!



SPARE SKIRT

Silicone Skirt / Red-yellow (RY)

Orange-red (OR)

Orange-yellow (OY)

Red-black (RB)



SPARE SKIRT 78-SS

SPARE SKIRT

Rubber tail uses extremely thin natural rubber for sure swimming action even on the slow retrieve. Ultra-thin fine rubber for lively action in soft currents. Choice of four colors to match head color and sea conditions. With rubber tail set at the bottom of the body, hook moves in sync for improved hooking rate.

■ SPARE SKIRT (Rubber tail color: orange.)

Code	quantity	Color & CODE No.
78-SS	4	(OR)
		026733
		(OY)
		026740
		(RY)
		026767
		(RB)
		026764

◆ Minimum order qty: 6 ◆ Qty per case: 6

SPARE SKIRT ON ANSWER

※ ANSWER with silicone skirt set in place.

Installation example



※ Orange rubber tail.


78-SS Orange Red (OR)

Fine rubber color: orange-yellow.

※ Also available in orange-yellow, red-yellow and red black. Fine rubber color: orange-red.

STRAIGHT TYPE

※SLIDE ANSWER with fine rubber and spare necktie set in place.



415SN Straight (GD)

417SN Straight (OF)

419SN Straight (SC)

423SN Straight (ON)

Choose from assortment of bite inviting colors in ultra-soft material. **SPARE NECKTIE** now available in four colors!



SPARE NECKTIE SPARE NECKTIE

Silicone neckties in gold dust and orange flake invite the target with shiny flashing effect. Stripe kola is treated with UV coating on one side for a tempting flicker effect. Use straight pieces for medium-to-fast techniques and curly pieces for slow techniques. Also may be differentiated to produce silhouettes of varying thickness.

■ SPARE NECKTIE ◆ Minimum order qty: 0 ◆ Qty per case: 6

Code	Type	Color	quantity	CODE NO.
415SN	Straight (ST)	(GD)	THIN 6	071290
			THICK 6	071306
416SN	Curly (CL)	(GD)	THIN 3	071313
			THICK 3	071320
417SN	Straight (ST)	(OF)	THIN 6	071337
			THICK 6	071344
418SN	Curly (CL)	(OF)	THIN 3	071351
			THICK 3	071368
419SN	Straight (ST)	(SC)	THIN 6	071375
			THICK 6	071382
420SN	Curly (CL)	(SC)	THIN 3	071399
			THICK 3	071405
423SN	Straight (ST)	(ON)	THIN 6	082561
			THICK 6	082578
424SN	Curly (CL)	(ON)	THIN 3	082595
			THICK 3	082592



CURLY TYPE カーリータイプ



416SN Curly (GD)

420SN Curly (SC)

418SN Curly (OF)

424SN Curly (ON)

SPARE RUBBER





SPARE RUBBER

SPARE RUBBER

Since extremely thin and soft natural rubber is used, it swims properly even for the slow retrieve action. The straight type is mainly suitable for medium to fast retrieve action, and curly tail type is suitable for slow action. 2 types of spare rubbers are available - thin one can finely aim the target and thick one with larger silhouette can appeal more. These can be used depending on the situation.

How to Set Spare Rubber

Hold silicone tube as per diagram and pass thin end of spare rubber through first.



■ SPARE RUBBER ◆ Minimum order qty: 6, ◆ Qty per case: 6.

CODE	Type	Color	quantity	CODE No.
79-SR	STRAIGHT (ST)	(O)	THIN 7	033808
			THICK 6	033818
80-SR	CURLY (CL)	(O)	THIN 3	033823
			THICK 3	033830
81-SR	WAVE (WV)	(O)	THIN 6	033847
			THICK 5	033854
82-SR	STRAIGHT (ST)	(R)	THIN 7	033861
			THICK 6	033878
83-SR	CURLY (CL)	(R)	THIN 3	033885
			THICK 3	033892
84-SR	WAVE (WV)	(R)	THIN 6	033908
			THICK 5	033915
401SR	STRAIGHT (ST)	(Y)	THIN 7	040524
			THICK 6	040531
402SR	CURLY (CL)	(Y)	THIN 3	040548
			THICK 3	040555
403SR	WAVE (WV)	(Y)	THIN 6	040562
			THICK 5	040579
404SR	STRAIGHT (ST)	(G)	THIN 7	040586
			THICK 6	040593
405SR	CURLY (CL)	(G)	THIN 3	040609
			THICK 3	040616
406SR	WAVE (WV)	(G)	THIN 6	040623
			THICK 5	040630

ANSWER SILICONE TUBE 409SI



ANSWER SILICONE TUBE

Silicone tube to anchor ANSWER spare hooks. Cut to appropriate length for use as a replacement for worn existing pieces, or to make your own original tai-rabas. Can also be cut into rings and used as a skirt anchor.

ANSWER SILICONE TUBE

CODE	SIZE & CODE No.
409SI	Inner Diameter 2mm x Outside Diameter 4mm x Total Length 30cm
	040975

- ◆ Minimum order qty: 6.
- ◆ Qty per case: 24.



Silicone tube must be inserted up to the keeper to prevent hook disengagement.

Insert silicone tube after setting hook in place.



**Red Seabream Biology and Tai-raba Color****SLIDE ANSWER**

Red seabream favor coastal waters at depths between 30m and 150m with good current circulation and plenty of reefs. The depths you'd usually go to with tai-rabas are from 30m to 100m. This overlaps with the main habitat of the sandworms which red seabream feed on. One condition is that the winter minimum water temperature needs to be at least 8°C. In water less than 8°C, the red seabream lose their biological balance and stop feeding. A sudden drop of another two degrees in water temperature can put them on the verge of death; their swim bladders inflate abnormally causing them to rise to the surface, a phenomenon known as uki-tai. This phenomenon has been observed in the shallow waters of the Seto Inland Sea during extreme cold weather. The fishing season for using rubber kabura jigs is from April to November, which coincides with the peak in sandworm activity. It's not impossible to fish during the December to March off-season, but activity is greatly reduced. There are a lot less bites and you need a stern sensibility, but that makes the catch all the more rewarding. Spawning takes place outside of daylight hours and water temperature has a huge impact, with spawning beginning at 14 or 15°C. At 18°C and up, appetite becomes voracious and they start swimming around more actively. Red seabream are ambisexual and at young stages almost all are female. Their protogynous nature means that the bigger the individual, the greater the chance of it being a male. During the spring spawning season, the red seabream feed voraciously to make up for the energy spent in deep waters during the winter. After spawning, there is a certain period of bad fishing, but this is on account of the energy spent during spawning, mainly affecting the mature individuals sized 35cm or greater. The smaller which do not participate in spawning behavior are unaffected and continue to respond well to rubber kabura jigs. Tai-rabas tend to be most successful with the bigger red seabream, with less bites from the smaller individuals.

Compared with the brain development of other fish, red seabream have a well developed optic lobe and a strong sense of sight, although they're also known for their reliance on sense of smell. As with other fish, red seabream are said not to be able to distinguish color based on the structure of their retinae. However, the angler is not so easily persuaded. A difference in size of catch can be observed using different colors of hair and rubber. Recommended colors include pink-gold, red-gold and orange scale while sandworm feeding is prominent, and red scale, green-orange and red-orange during feeding on crustaceans such as shrimp or crab.

I look at what's actually inside the stomachs of the red seabream I catch as a reference. Orange is generally a good all-around color with few difficulties. In tides murky with plankton, chartreuse and gold dust can be effective, while in clearer tides red and stripe koi would be preferred. While red seabream may not be able to actually differentiate color, the difference in catch size implies that they are at least able to recognize light from dark.

One Japanese proverb says "throw a shrimp to catch a red seabream," and it's a matter of fact that red seabream do feed on crustaceans like shrimp; their staple is bottom dwellers like sandworms and shellfish. While not to the extreme of black seabream, which are known to feed on sea grasses and even discarded human food, the red sea bream does show some omnivorous behavior. While traditionally considered a carnivorous fish, digestive acids associated with carbohydrates have been detected in the red seabream's intestines.



2014 Shout! FISHERMAN'S TOOLS
FOR JIGGING DREAMER

Shout! Bag

The Image is realized!



JUST FIT SYSTEM

SUPER CONCEPT FOR SALTWATER FISHERMAN

SHOUT! JIGGING BAG

The size of jigging bags from Shout! is decided by considering the use and transfer on the boat, as well as the convenience of each bag, and to make the tools to be stored such as tackle as compact as possible.



- JIGGER BAG III
- EXPEDITION BAG IV
- WATER GUARD CASE II
- ASSIST CASE III SINGLE
- SYSTEM JIG BAG III
- SEPARATE JIG BAG III
- SPORTS BAG
- WASHABLE ANSWER BAG II
- SHOUT! ROD BELT
- ROD TIP COVER
- SHOUT! MESH CAP
- SHOUT! SUNVISOR
- SHOUT! GLOVE
- SHOUT! WORK CAP
- SHOUT! WAPPEN CAP
- INFLATABLE LIFE RING
- AUTO INFLATABLE LIFE VEST
- SHOUT! GAFF KNIFE
- CUTTING STICKER
- SHOUT! STICKER

JIGGER BAG III 501JB BASIC BAG FOR JIGGER

JIGGER BAG III

Excellent ease of use. The tackle bag for the seasoned jigger!

Jigging on the rocking boat under the spary of the sea, with jig cases, spare hooks, spoils, shock leaders, pliers, etc. . . You want your jigging tools at your side in as organized a fashion as possible. The next-generation JIGGER BAG III is made from waterproof, highly durable EVA material. Urethane foam inner liner to keep your tools safe from impact shock and dry. Freely movable velcro partitions to separate your heavy jig cases from your other tools, and removable front pocket with flap. Shoulder strap passes through the bottom of the bag to handle your heaviest tackle. Having this functional bag at your side allow you to focus more on the fishing!

Organized tackle is the sign of a veteran. Practical functionality for coastal jigging or as a secondary bag for deep sea trips.



REAR VIEW



FRONT VIEW

■ JIGGER BAG III

Product	COLOR	CODE No.	BAG SIZE
501JB	BLACK	042610	approx W41cmxD25cmxH27cm (Not including Pocket)

◆ Minimum order qty. 1



Removable and adjustable velcro partitions. Inner partitions (vertical and horizontal, one each included) can be adjusted freely to accommodate a variety of sizes and shapes of jig cases and tackle pouches.



Front pocket with flap. Removable pocket. Convenient for items you need to grab a quick hold of (assist hooks, split rings, jigging gloves, etc.)

EXPEDITION BAG IV 522EB 523EB FOR EXPERT JIGGER

EXPEDITION BAG IV

Reliability you can count on for the high volume of tackle and equipment on deep sea trips.

For the Jigger who needs more for those deep sea expeditions. Convenient inside pocket. Removable velcro front pocket fits Size W ASSIST CASE perfectly. Rod holder added at the side of the front pocket, especially handy when tying line systems on the boat. New removable shoulder strap; store in the bag while on the boat or wear around the waist for use as a tool belt or gimbal.

※Buckle is designed to withstand a load of 510kg. Caution: excess loading may cause failure.

■ EXPEDITION BAG IV

◆ Minimum order qty. 1


品番	COLOR	CODE No.	BAG SIZE
522EB	BLACK	056983	approx W48cmxD37cmxH35cm (Not including Pocket)
523EB	WHITE	060653	



BLACK



WHITE



Fully armored to stand up to the toughest abuse.



Removable velcro front pocket.



ASSIST CASE W fits perfectly in front pocket.



Remove shoulder strap to keep it clean on the boat, or wear as a waist belt.



Equipped with rod holder. Particularly handy when tying line systems.

WATER GUARD CASE II 505WC SUPER FLEXIBLE CASE
WATER GUARD CASE II

SYSTEM JIG BAG fit in the bag. It protects against water sprays no matter what you store in the bag.

It is easier to carry heavy jig bags separately, but you don't want them get wet on a boat that the water is sprayed on to them. WATER GUARD CASE is the smaller version of JIGGER BAG, and it is big enough to store SYSTEM JIG BAG and SEPARATE JIG BAG. You can also store the items, apart from jig bags, to prevent them from water sprays.

■ WATER GUARD CASE II

CODE	COLOR	CODE No.	BAG SIZE
505WC	BLACK	042659	approx.W41cmxD28cmxH11cm

◆ Minimum order qty: 1

Fits in EXPEDITION BAG IV



◆ Fits in Shout! EXPEDITION BAG

Massive movement to the next point.
 I don't care even the sea has turbulent waves slightly.
 It can protect the tackles.



WASHABLE JIG BAG III 529WJ
WASHABLE JIG BAG III

Fits in JIGGER BAG II! PACKING & WASHING

Wash the jig that you used on the day at once

Change the jig with hook to the other on a boat. It causes the jig to rust if you store used jig back to the bag. WASHABLE JIG BAG, which the jig can be hung up with hook attached to it in the tube, can be washed completely with freshwater so that the jigs that were used on the day can be cleaned after fishing. Since each tube can be pulled out, the jigs which were dropped to the bottom can easily be picked up.

■ WASHABLE JIG BAG II

CODE	COLOR	CODE No.	BAG SIZE
529WJ	BLACK	085761	approx.W22cmxD13cmxH17cm

◆ Minimum order qty: 1

The maintenance of the jigs after the battle should be simple



Use it! Wash it!
 Bag with operational function

- WASHABLE JIG BAG III
- WASHABLE ANSWER BAG III



◆ Fits in JIGGER BAG II!



■ Top lid is meshed and the bottom part has hardened mesh plate with drainage holes so that 'Jig' and 'ANSWER' can be washed together with the bag after use.

WASHABLE ANSWER BAG III 514WA PACKING & WASHING FOR ANSWER
WASHABLE ANSWER BAG III


Store the used 'SLIDE ANSWER' here Fits in JIGGER BAG II

The height of the WASHABLE JIG BAG is adjusted for SLIDE ANSWER but still leaving the same function. If you store the wet rubber jigs in a bag or a case, it causes them to rust and the rubber can also be deteriorated. WASHABLE ANSWER BAG can easily be washed directly with freshwater.

■ WASHABLE ANSWER BAG III

CODE	COLOR	CODE No.	BAG SIZE
514WA	BLACK	085778	approx.W22cmxD13cmxH11cm

◆ Minimum order qty: 1



Washable storage case that store the tactics for red sea bream rubber jiggling



SYSTEM JIG BAG III 524SJ 525SJ Fits in JIGGER BAG II and WATER GUARD CASE I!

SYSTEM JIG BAG III

Storage for every size and shape of jig.

Jigging starts with your preparation for an outing, selecting a choice of jigs with factors such as field depth, bait type and sea current in mind. SYSTEM JIG BAG III is equipped with pockets to handle a variety of jig weights, lengths and thicknesses. Version III offers a choice of BLACK designed for short to middle types for coastal outings, and WHITE designed for middle to long types for deep sea trips. Features velcro center to allow insertion of SEPARATE JIG BAG just like version II, for a total of three types you can prepare. Perfect fit in WATER GUARD CASE to protect your jigs from the elements.

■ SYSTEM JIG BAG III

CODE	COLOR	CODE No.	BAG SIZE
524SJ	BLACK	067491	APPROX. W35.5cm×D21cm×H7.5cm
525SJ	WHITE	067507	

◆ Minimum order qty: 1

SUPER JOINT SYSTEM

SYSTEM JIG BAG III allows insertion of two SEPARATE JIG BAG IIIs.

■ SEPARATE JIG BAG III is equipped with buckles and tape on both sides to allow back-to-back connection.

■ Center of the inside of SYSTEM JIG BAG III is equipped with velcro tape to allow back-to-back insertion of two SEPARATE JIG BAGS. (Can also be used with a single SEPARATE JIG BAG, or none at all)

◆ Velcro Tape

◆ Joint Example



SEPARATE JIG BAG III 526SS 527SM 528SL SUPER JIG PACKING

SEPARATE JIG BAG III

Organize your jigs into patterns, and select your bag to suit the conditions.

Fits in JIGGER BAG II and WATER GUARD CASE I!

Before an outing, sorting through your jigs and deciding which ones you want to bring along can be a cumbersome task. But with your jigs already organized by weight, shape or geographical area, the chore can become a lot easier. SEPARATE JIG BAG allows you to organize your jigs in patterns to suit your style. Select bags with suitable sizes or weights of jigs, and keep in the WATER GUARD CASE. SEPARATE JIG BAG helps you to bring along what you'll really need for a trip, and leave what's unnecessary at home.

■ SEPARATE JIG BAG III

CODE	COLOR & TYPE	CODE No.	BAG SIZE
526SS	Yellow S (For Short Jigs)	067514	APPROX. W36cm×D21.5cm
527SM	Red M (For Middle Jigs)	067521	
528SL	Blue L (For Long Jigs)	067538	

◆ Minimum order qty: 1



Choose without hesitation!
Never miss a chance at an outing because you don't have time to prepare.

◆ Perfect fit in Shout! WATER GUARD CASE

SPORTS BAG 515SM 511SL SPORTS BAG FOR JIGGER

SPORTS BAG

Support for the jigger's gear. Two sizes to meet the needs of your expedition.



Convenient secondary bag for carrying clothing and other non-tackle gear on big expeditions. Thick tarp fabric for excellent durability and water resistance to keep out unexpected rain. (* Not 100% waterproof.) Side handle for convenient handling out of the car and onto the boat. Large sized top flap cover for easy handling of your gear with mesh pock on the inside.

The jiggering dream starts the moment you leave for the port.

■SPORTS BAG

CODE	SIZE	COLOR	CODE No	BAG SIZE
515SM	M	BLACK	040739	660x.W430cmxD250cmxH250cm
511SL	L	BLACK	040746	880x.W600cmxD300cmxH310cm

◆Minimum order qty: 1;



M



L



■ Equipped with mesh pocket on inside of flap cover. Store line, hooks or clothing.



■ Dual side handles to help you get heavy gear in and out of the car, and on and off the boat with ease.



for Jigger's DREAM DAYS

WITH SHOUT! FISHERMAN'S TOOLS

Practical Accessories for the Burning Dream

SHOUT! ROD BELT 906RB 907RB

SHOUT! ROD BELT


Bundle your Shout! Rods. Elastic material for a gentle and firm hold.

High quality neoprene rod belt. Two sizes for easy bundling of your jigging rods.

SHOUT! ROD BELT

CODE	STANDARD	COLOR	CODE No.	SIZE
906RB	M(2pc)	BLACK	048480	280x11.3cmxH29.0cm
907RB	L(2pc)	BLACK	048500	330x11.5cmxH33cm

◆ Minimum order qty: 3.



ROD TIP COVER 520TC

Rear adjustment zipper for flexible tip protection.

Protective cover for delicate rod tips while bundled with a rod belt. Keep your rods safe while loading in and out of the car and on and off the boat. Use the rear adjustment zipper for a perfect fit even with bundles of heavy rods with large diameter guides.

SHOUT! ROD TIP COVER ◆ Minimum order qty: 3.

CODE	COLOR	CODE No.	SIZE
520TC	BLACK	D52701	600xW9cmxD3cmxH73cm

Rear Adjustment Zipper



Open zipper for increased capacity!

Functional! Equipped with Rear Adjustment Zipper



1 Place cover over rod tip(s).



2 When too bulky, zipper gets caught on guides and won't close.



3 But with Shout! ROD TIP COVER Thanks to the rear adjustment zipper...



4 Cover and protect your rods, even with large diameter guides.

Velcro Rod Belt



SHOUT! MESH CAP 54-MC COMFORTABLE FINE MESH

SHOUT! MESH CAP

Mesh cap combines excellent air breathability and sun protection.

Mesh fishing cap with good breathability.
3D embroidered fish head "S" logo.

SHOUT! MESH CAP

CODE	COLOR	CODE No.	SIZE
54-MC	WHITE	019216	FREE
	BLACK	034738	FREE

◆ Minimum order qty: 1.

Protect against
the sun's rays and
still keep your cool!



SHOUT! MESH SUNVISOR 55-MS STYLISH JIGGER CAP

SHOUT! MESH SUNVISOR

Mesh sun visor combines excellent air breathability and sun protection.

Mesh sun visor with good breathability.
3D embroidered fish head "S" logo.

SHOUT! MESH SUNVISOR

CODE	COLOR	CODE No.	SIZE
55-MS	WHITE	035049	FREE
	BLACK	035056	FREE

◆ Minimum order qty: 1.



SHOUT! GLOVE 15-JG SHORT TYPE & FINE MESH

SHOUT! GLOVE

Short mesh glove to keep you in touch with the rod.

Short type for free wrist movement while jerking. Thin and sensitive design to keep you fully in touch with the rod. Protection when tying off shock leaders and fine mesh for resistance to hook snags.

SHOUT! GLOVE

CODE	COLOR	SIZE & CODE No.					
		S	M	L	LL	3L	4L
15-JG	BLACK	S 128093	M 128109	L 128116	LL 128123	3L 045864	4L 045864
	GRAY	S 128130	M 128147	L 128154	LL 128161	3L 045840	4L 045840
	WHITE	S 128017	M 128024	L 128031	LL 128048	3L 045833	4L 045833
	RED	S 128055	M 128062	L 128079	LL 128086	3L 045857	4L 045857

◆ Minimum order qty: 1.



BLACK



GRAY



WHITE



RED



Jigging gloves for a bare-handed feel.
Protect your hands with a natural fit
you may almost forget you're wearing.

SHOUT! WORK CAP 711WC WORK TYPE DESIGN CAP

SHOUT! WORK CAP

American casual style cap for sun protection.

Black fabric under the bill to stop reflection and maintain a good field of vision. Elastic headband portion for better fit and strength against wind.

SHOUT!WORK CAP

CODE	COLOR	CODE No.	SIZE
	BLUE	081657	
711WC	BLACK	081664	FREE
	BEIGE	081671	

◆ Minimum order qty: 1



※ BACK



SHOUT! WAPPEN CAP 710WC WAPPEN TYPE DESIGN CAP

SHOUT! WAPPEN CAP

Trucker style cap to match any style.

Black fabric under the bill to stop reflection and maintain a good field of vision. Simple yet visible patch design to match with any casual clothing style.

SHOUT!WAPPEN CAP

CODE	COLOR	CODE No.	SIZE
	RED	081626	
710WC	BLACK	081633	FREE
	HICKORY	081640	

◆ Minimum order qty: 1



WAIST POUCH TYPE SAFETY AUTO RING

INFLATABLE LIFE RING

INFLATABLE LIFE RING 709LR

Small, Light weight and compact. Keep your fishing safe!

Compact and light weight pouch-type automatic inflation life preserver. Inflates automatically in event of a fall into the water, releasing a buoy connected to the belt. Can also be inflated manually by pulling on handle. Buoy portion is removable for easy washing of the pouch.

※Washing with the buoy portion in place will cause inflation. Never wash together.

- Approved by the Japanese Ministry of Land and Transport.
- Replaceable inflation unit "18U/ML MK56i Kit" manufactured by Takashina Life Preservers Co., Ltd.

INFLATABLE LIFE RING

CODE	COLOR	CODE No.	SIZE
709LR	SHOUT!RED	079012	FREE
	BLACK	079029	

◆ Minimum order qty: 1


Buoy inside the pouch inflates and releases automatically upon detection of water.



How to use

Throw

When the victim is far away.



Throw

When the victim is close by.



Use

When being worn.



FOR SAFETY & COMFORTABLE FISHING

AUTO INFLATABLE LIFE VEST

AUTO INFLATABLE LIFE VEST 700AL

Removable outer cover for easy washing!

Water sensor activates automatic inflation even if you are unable to operate the manual lever. Manual inflation can be initiated by pulling firmly on the lever. Inflating apparatus is compactly stored for a comfortable fit and no restriction of movement. Inflated portion is bright yellow with reflective tape for easy rescue day or night.

※Equivalent buoyancy to products authorized by the Japanese Ministry of Land and Transport.
 ※Rectifiable inflation unit "18HF6F Cylinder Kit" manufactured by Takashina Life Preservers Co., Ltd.
 (※Please use "A Kit" for previous models sold 2008 or earlier.)

Please refer to our homepage for details on cylinder replacement after-service.
<http://www.shout-net.com/>

■ AUTO INFLATABLE LIFE VEST

CODE	COLOR	CODE No.	SIZE	◆ Minimum order qty. 1.
700AL	SHOUT RED	040753	FREE	
	BLACK	040760		



■ Ordinary Appearance



■ When inflated

Removable WASHABLE
 Remove cover for easy washing!



SHOUT! GAFF KNIFE 903GK

SHOUT! GAFF KNIFE

SUPER HANDLING & STRONG!

This is the foldable GAFF KNIFE with useful gaff when transferring the fish on the boat and the knife to cut the fish combined in one. Rust-resistant 3.5mm 440 stainless with a nicked edge is used.

■ SHOUT! GAFF KNIFE (The container of the skin adheres.)

CODE	CODE No.	SIZE	◆ Minimum order qty. 1.
903GK	040708	OPEN / 18.2cm Folds / 10.7cm	



FOR SAFETY & COMFORTABLE FISHING

AUTO INFLATABLE LIFE VEST

AUTO INFLATABLE LIFE VEST 700AL

Removable outer cover for easy washing!

Water sensor activates automatic inflation even if you are unable to operate the manual lever. Manual inflation can be initiated by pulling firmly on the lever. Inflating apparatus is compactly stored for a comfortable fit and no restriction of movement. Inflated portion is bright yellow with reflective tape for easy rescue day or night.

※Equivalent buoyancy to products authorized by the Japanese Ministry of Land and Transport.
 ※Rectifiable inflation unit "18HF6F Cylinder Kit" manufactured by Takashina Life Preservers Co., Ltd.
 (※Please use "A Kit" for previous models sold 2008 or earlier.)

Please refer to our homepage for details on cylinder replacement after-service.
<http://www.shout-net.com/>

■ AUTO INFLATABLE LIFE VEST

CODE	COLOR	CODE No.	SIZE	◆ Minimum order qty. 1.
700AL	SHOUT RED	040753	FREE	
	BLACK	040760		



■ Ordinary Appearance



■ When inflated

Removable WASHABLE
 Remove cover for easy washing!



SHOUT! GAFF KNIFE 903GK

SHOUT! GAFF KNIFE

SUPER HANDLING & STRONG!

This is the foldable GAFF KNIFE with useful gaff when transferring the fish on the boat and the knife to cut the fish combined in one. Rust-resistant 3.5mm 440 stainless with a nicked edge is used.

■ SHOUT! GAFF KNIFE (The container of the skin adheres.)

CODE	CODE No.	SIZE	◆ Minimum order qty. 1.
903GK	040708	OPEN / 18.2cm Folds / 10.7cm	



FOR SAFETY & COMFORTABLE FISHING

AUTO INFLATABLE LIFE VEST

AUTO INFLATABLE LIFE VEST 700AL

Removable outer cover for easy washing!

Water sensor activates automatic inflation even if you are unable to operate the manual lever. Manual inflation can be initiated by pulling firmly on the lever. Inflating apparatus is compactly stored for a comfortable fit and no restriction of movement. Inflated portion is bright yellow with reflective tape for easy rescue day or night.

※Equivalent buoyancy to products authorized by the Japanese Ministry of Land and Transport.
 ※Rectifiable inflation unit "18HF6F Cylinder Kit" manufactured by Takashina Life Preservers Co., Ltd.
 (※Please use "A Kit" for previous models sold 2008 or earlier.)

Please refer to our homepage for details on cylinder replacement after-service.
<http://www.shout-net.com/>

■ AUTO INFLATABLE LIFE VEST

CODE	COLOR	CODE No.	SIZE	◆ Minimum order qty. 1.
700AL	SHOUT RED	040753	FREE	
	BLACK	040760		



■ Ordinary Appearance



■ When inflated

Removable WASHABLE
 Remove cover for easy washing!



SHOUT! GAFF KNIFE 903GK

SHOUT! GAFF KNIFE

SUPER HANDLING & STRONG!

This is the foldable GAFF KNIFE with useful gaff when transferring the fish on the boat and the knife to cut the fish combined in one. Rust-resistant 3.5mm 440 stainless with a nicked edge is used.

■ SHOUT! GAFF KNIFE (The container of the skin adheres.)

CODE	CODE No.	SIZE	◆ Minimum order qty. 1.
903GK	040708	OPEN / 18.2cm Folded / 10.7cm	





for your big dream!

<http://www.shout-net.com/>

Protect our beautiful Earth!
Please put waste in its proper place.

1 SANNAN-CHO-NOSAKA / TANBA HYOGO 669-3145 JAPAN
Tel: +81-795-77-2611 / Fax: +81-795-77-2539
E-mail: shout@sasame.co.jp



●Hook points are dangerous. Use caution when handling. ●Do not use for applications other than fishing. ●Keep out of reach of children and infants. ●Do not leave hooks at fishing grounds. Dispose of properly. ●Store away from direct sunlight and avoid extreme changes in temperature. ●Check for the safety of those around you when casting your lure.

●Actual product color may vary from the photographs in this catalog due to printing limitations.
●Specifications in this catalog may change without notice.